

## Datasheet: MCA4645

<b>Description:</b>	MOUSE ANTI HUMAN CD319
<b>Specificity:</b>	CD319
<b>Other names:</b>	CRACC
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	162
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.2 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/200
Immunoprecipitation	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml

<b>Immunogen</b>	CD319 - HulgG fusion protein.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q9NQ25</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">57823</a> SLAMF7    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	CS1
<b>RRID</b>	AB_1628806
<b>Specificity</b>	<p><b>Mouse anti Human CD319 antibody, clone 162</b> recognizes human CD319, otherwise known as CRACC (CD2-like receptor-activating cytotoxic cells), a type I transmembrane protein and member of the CD2 receptor family, expressed by natural killer (NK) cells, cytotoxic lymphocytes and activated B cells.</p> <p>Unlike the CD2 family receptors 2B4 and NTB-A, which trigger NK cell-mediated cytotoxicity through the recruitment of the adaptor protein SAP (SLAM-associated protein); CD319 has been shown to activate cytotoxicity through a unique SAP-independent ERK-mediated signalling pathway, through association with, and subsequent phosphorylation by, the adaptor protein EAT-2.</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
<b>References</b>	<ol style="list-style-type: none"> <li>1. Bouchon, A. <i>et al.</i> (2001) Activation of NK cell-mediated cytotoxicity by a SAP-independent receptor of the CD2 family. <a href="#">J Immunol. 167 (10): 5517-21.</a></li> <li>2. Tassi, I. &amp; Colonna, M. (2005) The cytotoxicity receptor CRACC (CS-1) recruits EAT-2 and activates the PI3K and phospholipase Cgamma signaling pathways in human NK cells. <a href="#">J Immunol. 175 (12): 7996-8002.</a></li> <li>3. Kawano, Y. <i>et al.</i> (2013) Hypoxia reduces CD138 expression and induces an immature and stem cell-like transcriptional program in myeloma cells. <a href="#">Int J Oncol. 43 (6): 1809-16.</a></li> <li>4. Pojero, F. <i>et al.</i> (2016) Utility of CD54, CD229, and CD319 for the identification of plasma cells in patients with clonal plasma cell diseases. <a href="#">Cytometry B Clin Cytom. 90 (1): 91-100.</a></li> </ol>
<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight@800</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight@488</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>

### Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M367800:200529'

Printed on 22 Mar 2021