

Datasheet: MCA4646FT

Description:	MOUSE ANTI HUMAN CD335:FITC
Specificity:	CD335
Other names:	NKp46
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	9E2
Isotype:	lgG1
Quantity:	25 µg

Product Details

Applications	This product has been reported to work in the following applications. This informa derived from testing within our laboratories, peer-reviewed publications or persona communications from the originators. Please refer to references indicated for furth information. For general protocol recommendations, please visit www.bio-						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•					
	Where this product has not been tested for use in a particular technique this does not						
necessarily exclude its use in such procedures. Suggested working dilutior a guide only. It is recommended that the user titrates the product for use in system using appropriate negative/positive controls.							
Target Species	Human						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	Fluorophore	Excitation Max	(nm) E	mission Max (nm)		
	FITC	490		525			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin						
Approx. Protein Concentrations	IgG concentration 0.1mg/ml						

Immunogen	CD335-Fc fusion protein	
External Database Links	UniProt: <u>O76036</u> <u>Related reagents</u> Entrez Gene: <u>9437</u> NCR1 <u>Related reagents</u>	
Synonyms	LY94	
RRID	AB_2149290	
Specificity	Mouse anti Human CD335 antibody, clone 9E2 specifically red (natural killer) cell-specific marker CD335, otherwise known as N transmembrane glycoprotein, and the first identified member of th receptor (NCR) family. CD335 is uniquely expressed by all resting and activated NK cell the major NK cell lysis receptor for autologous pathogen-infected	cognizes human NK IKp46, a 46kDa type I ne natural cytotoxicity Is, and considered to be I and tumour target cells,
	during natural cytotoxicity responses. Ligands of CD335 include (HAs), and heparan sulphate proteoglycans (HSPGs) on the surf	viral haemagglutinins
	Mouse anti Human CD335 antibody, clone 9E2 mediates re-direct (Yusa <i>et al.</i> 2002) and (Chen <i>et al.</i> 2007).	cted NK cell cytotoxicity
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in	100ul.
References	 Chklovskaia, E. <i>et al.</i> (2004) Reconstitution of dendritic and na after allogeneic stem cell transplantation: effects of endogenous (10): 3860-8. Yusa, S. <i>et al.</i> (2002) SHP-1- and phosphotyrosine-independer a killer cell Ig-like receptor cytoplasmic domain in human NK cell 5047-57. Chen, Y. <i>et al.</i> (2007) Prostaglandin D2 suppresses human NK signaling through D prostanoid receptor. J Immunol. 179 (5): 276 4. Rutigliano, H.M. <i>et al.</i> (2016) Trophoblast Major Histocompatitie Expression Is Associated with Immune-Mediated Rejection of Boby Cloning. <u>Biol Reprod. 95 (2): 39.</u> 	atural killer-cell subsets flt3 ligand. <u>Blood. 103</u> ent inhibitory signaling by s. <u>J Immunol. 168 (10):</u> K cell function via <u>6-73.</u> bility Complex Class I evine Fetuses Produced
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photoser protected from light. Avoid repeated freezing and thawing as this antibody. Should this product contain a precipitate we recommen before use.	nsitive and should be may denature the d microcentrifugation
Guarantee	12 months from date of despatch	

Health A Informati	nd Safety Materia on 10041:	Material Safety Datasheet documentation #10041 available at: 10041: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u>						
Regulato	ry For res	For research purposes only						
Relate	d Products							
Recomm	nended Negative C	Controls						
MOUSE Ig	G1 NEGATIVE CONTR	ROL:FITC (MCAS	9 <u>28F)</u>					
Recomm	nended Useful Rea	agents						
<u>HUMAN S</u> HUMAN S	EROBLOCK (BUF070A EROBLOCK (BUF070E	<u>N)</u> 3)						
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@b	bio-rad.com	Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com			
	From March 1 Look out for u	I5, 2021, we will ipdates on how t	no longer supply printed o o access your digital vers 'M367811:200529'	datasheets wit ion at bio-rad-	th our products. antibodies.com			

Printed on 11 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint