

Datasheet: MCA4647

Description:	RAT ANTI MOUSE SIGLEC-H
Specificity:	SIGLEC-H
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	440c
Isotype:	lgG2b
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen	-			1/50 - 1/200
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation			•	
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein C supernatant	6 from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Carrier Free	Yes	

Approx. Protein Concentrations	IgG concentration 1.0mg/ml		
Immunogen	Purified bone marrow-derived IPCs and CpG oligodeoxynucleotide 1826.		
External Database Links	UniProt: Q3Y597 Related reagents		
RRID	AB_10548607		
Fusion Partners	Lymph node cells from immunised Wistar/CRL rats were fused with cells of the Sp2/0 myeloma cell line.		
Specificity	Rat anti Mouse Siglec-H antibody, clone 440c recognizes the cell surface receptor Siglec-H, a sialic acid binding Ig-like lectin and member of the immunoglobulin superfamily. Siglec-H is exclusively expressed by mouse natural interferon producing cells (IPCs), which play a major role in the first line defence against viruses, through the production of type I interferon (IFN), interleukin-12 (IL-12) and pro-inflammatory chemokines.		
	Unlike other Siglecs, Siglec-H lacks a characteristic cytoplasmic ITIM (immunoreceptor tyrosine based inhibitory motif) domain, and instead relies upon its association with the adaptor protein DAP12 for signal transduction.		
	Rat anti Mouse Siglec-H antibody, clone 440c inhibits IFN-alpha secretion by IPCs both <i>in vitro</i> and <i>in vivo</i> (Blasius <i>et al.</i> 2004).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.		
References	 Blasius, A. <i>et al.</i> (2004) A cell-surface molecule selectively expressed on murine natural interferon-producing cells that blocks secretion of interferon-alpha. <u>Blood. 103 (11):</u> 4201-6. Blasius, A.L. <i>et al.</i> (2006) Siglec-H is an IPC-specific receptor that modulates type I IFN secretion through DAP12. <u>Blood. 107 (6): 2474-6.</u> Akk, A. <i>et al.</i> (2016) Neutrophil Extracellular Traps Enhance Early Inflammatory Response in Sendai Virus-Induced Asthma Phenotype. <u>Front Immunol. 7: 325.</u> Liou, L.Y. <i>et al.</i> (2008) <i>In vivo</i> conversion of BM plasmacytoid DC into CD11b+ 		
	conventional DC during virus infection. Eur J Immunol. 38 (12): 3388-94.		
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	18 months from date of despatch.		

Health And Safety Material Safety Datasheet documentation #10040 available at: Information

10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR17...) **FITC** Goat Anti Rat IgG (STAR69...) **FITC**

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR73...) **RPE** Rabbit Anti Rat IgG (STAR21...) **HRP**

Rabbit Anti Rat IgG (STAR16...) DyLight®800 Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) DyLight®800

Goat Anti Rat IgG (STAR72...) **HRP**

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50

> Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M361844:200319'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint