

Datasheet: MCA4661A488

Description:	MOUSE ANTI HUMAN DECTIN-1:Alexa Fluor® 488		
Specificity:	DECTIN-1		
Other names:	BETA GLUCAN RECEPTOR, CD369		
Format:	ALEXA FLUOR® 488		
Product Type:	Monoclonal Antibody		
Clone:	GE2		
Isotype:	lgG1		
Quantity:	100 TESTS/1ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human					
Product Form	Purified IgG conjugate	Purified IgG conjugated to Alexa Fluor 488 - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm	1)		
	Alexa Fluor®488	495	519			
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein A	from tissue culture		
Buffer Solution	Phosphate buffered sa	Phosphate buffered saline				
Preservative	0.09% Sodium Azide	(NaN ₃)				
Stabilisers	1% Bovine Serum Albumin					
Approx. Protein Concentrations	IgG concentration 0.0	5mg/ml				

Im	mı		ann
1111	IIIL	IIIO	gen

NIH3T3 cells expressing full length Beta-glucan receptor.

External Database

Links

UniProt:

Q9BXN2 Related reagents

Entrez Gene:

64581 CLEC7A Related reagents

Synonyms

BGR, CLECSF12, DECTIN1

RRID

AB 1719948

Fusion Partners

Spleen cells from immunized C57BL/6 mice were fused with cells of the murine SP2 myeloma cell line.

Specificity

Mouse anti Human Dectin-1 antibody, clone GE2 recognizes human Dectin-1, also known as beta-glucan receptor (β GR), a C-type lectin domain family member. It is a major pathogen pattern-recognition receptor that binds beta-glucans, glucose polymers that form cell-wall components or exopolymers of yeasts, fungi and some bacteria. Beta-glucans have also been used experimentally and therapeutically as immunomodulators that enhance resistance to bacterial, yeast, viral and protozoan infections, as well as tumor formation. Dectin-1 also acts as a co-stimulatory molecule on T-cells to induce their proliferation and is necessary for the TLR2-mediated inflammatory response. It is highly expressed on peripheral blood leukocytes and dendritic cells.

Human Dectin-1 has two major (β GR-A and β GR-B) and several minor isoforms. β GR-A and β GR-B differ by the presence and absence, respectively, of a stalk region. Mouse anti Human Dectin-1 antibody, clone GE2 recognizes both major isoforms. Clone GE2 could be used to inhibit receptor function.

Flow Cytometry

Use 10ul of the suggested working dilution to label 1x10⁶ cells in 100ul.

References

- 1. Harnack, U. *et al.* (2011) Yeast-derived beta-(1-3),(1-6)-D-glucan induces up-regulation of CD86 on dectin-1-positive human B-lymphoma cell lines. <u>Anticancer Res. 31 (12):</u> 4195-9.
- 2. Kyrmizi, I. *et al.* (2013) Corticosteroids block autophagy protein recruitment in Aspergillus fumigatus phagosomes via targeting dectin-1/Syk kinase signaling. <u>J Immunol.</u> 191 (3): 1287-99.
- 3. Loures, F.V. *et al.* (2015) Recognition of *Aspergillus fumigatus* hyphae by human plasmacytoid dendritic cells is mediated by dectin-2 and results in formation of extracellular traps. <u>PLoS Pathog. 11 (2): e1004643.</u>
- 4. Ali, M.F. *et al.* (2017) Canonical Stimulation of the NLRP3 Inflammasome by Fungal Antigens Links Innate and Adaptive B-Lymphocyte Responses by Modulating IL-1β and IgM Production. <u>Front Immunol. 8: 1504.</u>
- 5. Kan, B. *et al.* (2018) Cellular metabolism constrains innate immune responses in early human ontogeny. <u>Nat Commun. 9 (1): 4822.</u>
- 6. de Quaglia E Silva. J.C.et al. (2019) Involvement of the Dectin-1 Receptor upon the

Effector Mechanisms of Human Phagocytic Cells against Paracoccidioides brasiliensis. J Immunol Res. 2019: 1529189.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA4661A488 10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 488 (MCA928A488)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

America

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385577:210513'

Printed on 10 Jul 2024