

Datasheet: MCA467G

### **BATCH NUMBER 1610**

Description: MOUSE ANTI HUMAN CD	
Specificity:	CD41
Other names:	INTEGRIN ALPHA IIB
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	PM6/248
Isotype:	lgG1
Quantity:	0.2 mg

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting		•		

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Baboon, Mink, Mustelid <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture

# supernatant

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Human platelet plasma membranes.	
External Database Links	UniProt:  P08514 Related reagents  Entrez Gene:  3674 ITGA2B Related reagents	
Synonyms	GP2B, ITGAB	
RRID	AB_324000	
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells myeloma cell line.	of the mouse SP2/0
Specificity	Mouse anti Human CD41 antibody, clone PM6/248 recognizes surface antigen, a ~140 kDa glycoprotein expressed by platelets CD41 is also known as platelet glycoprotein IIb, and functions as fibronectin and vWF.  It has not been established if clone PM6/248 recognizes free CD complexed with CD61. However, antibody binding is reduced in the suggesting that the epitope recognized is dependent upon an interpretation.	and megakaryocytes. s a receptor for fibrinogen, 041 or CD41 only when the presence of EDTA
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 1	00ul whole blood
References	<ol> <li>Hornby, E.J. <i>et al.</i> (1991) Activation of human platelets by expantibody, PM6/248, to glycoprotein IIb-IIIa. Br J Haematol. 79 (2)</li> <li>Michelson, A.D. <i>et al.</i> (1995) A panel of platelet mAb for the st thrombosis in baboons. Leucocyte Typing V. Oxford University P 3. Maloney, S.F. <i>ety al.</i> (2010) P2Y12 or P2Y1 inhibitors reduce microfluidic model of thrombosis while apyrase lacks efficacy und Biol (Camb). 2: 183-92.</li> <li>Aasted, B. <i>et al.</i> (2007) Reactivity of monoclonal antibodies to cells from mink. Vet Immunol Immunopathol. 119: 27-37.</li> <li>Massoudy, P. <i>et al.</i> (2001) Evidence for inflammatory response</li> </ol>	tudy of haemostasis and ress p 1230-1231. platelet deposition in a der flow conditions. Integro human CD antigens with

coronary artery bypass grafting with cardiopulmonary bypass. Chest. 119: 31-6.

- 6. Kahng, J. *et al.* (2008) Quantitative comparisons of antibody-binding sites of platelet glycoprotein IIb/IIIa in aplastic anemia and idiopathic thrombocytopenic purpura. <u>Ann Clin Lab Sci. 38: 6-11.</u>
- 7. Chae, H. *et al.* (2009) EDTA Inhibits the Binding of Clone 96.2C1, an Anti-CD41a Monoclonal Antibody, to the Platelets and Addition of Heparin and CaCl2 to the Antibody Neutralizes the EDTA-induced Inhibitory Effect Korean J Hematol 44: 42 6.
- 8. Zahler, S. *et al.* (1999) Acute cardiac inflammatory responses to postischemic reperfusion during cardiopulmonary bypass. Cardiovasc Res. 41: 722-30.
- 9. Wang, J.S. *et al.* (2005) Effects of exercise training and deconditioning on platelet aggregation induced by alternating shear stress in men. <u>Arterioscler Thromb Vasc Biol.</u> 25: 454-60.
- 10. Welsh, J.D. *et al.* (2012) Platelet-targeting sensor reveals thrombin gradients within blood clots forming in microfluidic assays and in mouse. <u>J Thromb Haemost. 10 (11):</u> 2344-53.
- 11. Kamat, V. *et al.* (2015) Microfluidic assessment of functional culture-derived platelets in human thrombi under flow. Exp Hematol. 43 (10): 891-900.e4.
- 12. Vučetić, D. *et al.* (2018) Flow cytometry analysis of platelet populations: usefulness for monitoringthe storage lesion in pooled buffy-coat platelet concentrates. <u>Blood Transfus. 16</u> (1): 83-92.
- 13. Foruzanmehr, M. *et al.* (2014) Nano-structure TiO<sub>2</sub> film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement Nanomedicine J. 1 (3): 128-36.
- 14. Miyazaki, K. *et al.* (2015) Immature platelet fraction measurement is influenced by platelet size and is a useful parameter for discrimination of macrothrombocytopenia. Hematology. 20 (10): 587-92.

#### **Storage**

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA467G">https://www.bio-rad-antibodies.com/SDS/MCA467G</a>
Regulatory	For research purposes only

### Related Products

#### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP
Goat Anti Mouse IgG (STAR70...)

FITC

Rabbit Anti Mouse IgG (STAR13...)

Rabbit Anti Mouse IgG (STAR9...)

Goat Anti Mouse IgG (STAR77...)

Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367874:200529'

### Printed on 03 Sep 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint