Datasheet: MCA4681 BATCH NUMBER 1606

Description:	MOUSE ANTI HUMAN FACTOR VII
Specificity:	FACTOR VII
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RFF-VII/1
lsotype:	lgG1
Quantity:	0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution						
	Flow Cytometry	162	NO	Not Determined	Suggested Dilution		
	Immunohistology - Frozen						
	Immunohistology - Paraffin						
	ELISA				1/20 - 1/200		
	Western Blotting (1)				1/20 - 1/200		
	Radioimmunoassays						
	Where this product has n necessarily exclude its us a guide only. It is recomm system using appropriate (1) MCA4680 binds to a VII.	se in such nended th e negative	n procedu at the us /positive	res. Suggested workin er titrates the product f controls.	g dilutions are given as for use in their own		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by supernatant	affinity cł	nromatog	raphy on Protein G fror	m tissue culture		
Buffer Solution	Phosphate buffered salin	e					
Preservative Stabilisers	0.09% Sodium Azide (Na	ıN ₃)					

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Purified human factor VII.
External Database	
Links	UniProt:
	P08709 Related reagents
	Entrez Gene:
	2155 F7 Related reagents
RRID	AB_2101604
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the P3-NS/1-Ag 4 mouse myeloma cell line.
Specificity	Mouse anti Human Factor VII antibody, clone RFF-VII/1 recognizes Factor VII, a serine protease found circulating in the blood. It initiates the extrinsic pathway of blood coagulation in conjunction with tissue factor. Tissue factor is found on the outside of blood vessels. When the vessels is damaged, tissue factor is exposed to the blood and circulating Factor VII. Once bound to tissue factor, Factor VII is activated by different proteases and converts Factor IX to IXa. Factor VII deficiency (FA7D) is a rare hereditary haemorrhagic disease. Symptoms range from mild to severe.
	Clone RFF-VII/1 is a strong inhibitor of Factor VII activity. It may be used to detect Factor VII in immunoassays in combination with Mouse anti Human Factor VII antibody, clone RFF-VII/2 (<u>MCA4680</u>) as a capture reagent.
References	 Takase, T. <i>et al.</i> (1988) Monoclonal antibodies to human factor VII: a one step immunoradiometric assay for VII:Ag. <u>J Clin Pathol. 41 (3): 337-41.</u> Takase, T. <i>et al.</i> (1988) Monoclonal antibodies to human factor VII: production of immunodepleted plasma for VII:C assays. <u>J Clin Pathol. 41 (3): 342-5.</u> Sarial, S. <i>et al.</i> (2012) A high affinity monoclonal antibody recognizing the light chain of human coagulating factor VII. <u>Hybridoma (Larchmt). 31 (6): 443-8.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA4681

	10040						
Regulato	ry For research pu	For research purposes only					
Relate	d Products						
Recomn	nended Secondary Antibo	dies					
Rabbit Aı	nti Mouse IgG (STAR12)	RPE					
Goat Ant	Mouse IgG IgA IgM (STAR87) <u>HRP</u>					
Goat Ant	Mouse IgG (STAR76)	RPE					
Rabbit A	nti Mouse IgG (STAR13)	HRP					
Goat Ant	Mouse IgG (STAR70)	<u>FITC</u>					
Goat Ant	Mouse IgG (H/L) (STAR117	.) <u>Alk. Phos.</u> , <u>DyLight®488</u>	, DyLight®550,				
		DyLight®650, DyLight®6	<u>80, DyLight®80</u>	<u>0,</u>			
		<u>FITC, HRP</u>					
Rabbit A	nti Mouse IgG (STAR9)	<u>FITC</u>					
Goat Ant	Mouse IgG (STAR77)	<u>HRP</u>					
Goat Ant	Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>					
rth & South	Tel: +1 800 265 7376 World		Europe	Tel: +49 (0) 89 8090 95 21			
nerica	Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@!	bio-rad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.co			

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint