

Datasheet: MCA4685A488

BATCH NUMBER 156056

Description:	MOUSE ANTI HUMAN CYTOCHROME B245 HEAVY CHAIN:Alexa Fluor® 488			
Specificity:	CYTOCHROME B245 HEAVY CHAIN			
Other names:	gp91phox			
Format:	ALEXA FLUOR® 488			
Product Type:	Monoclonal Antibody			
Clone:	NL7			
lsotype:	lgG1			
Quantity:	100 TESTS/1ml			

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)				Neat
Immunohistology - Frozen			•	
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)Membrane permeabilisation is required for this application. Bio-Rad recommends the use of Leucoperm[™] (Product Code <u>BUF09</u>) for this purpose.

Target Species	Human				
Product Form	Purified IgG conjugated to Alexa Fluor 488 - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	Alexa Fluor®488	495	519		
Preparation	Purified IgG prepare supernatant	ed by affinity chromatog	raphy on Protein G fi		

Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin			
Approx. Protein Concentrations	IgG concentration 0.05mg/ml			
Immunogen	Cytochrome B245 solubilised in octyl-beta-glucopyranoside.			
External Database Links	UniProt: P04839 Related reagents Entrez Gene: 1536 CYBB Related reagents			
Synonyms	NOX2			
RRID	AB_1963532			
Fusion Partners	Spleen cells from immunised BALB/c were fused with cells of the 3PU1 myelom	na cell line.		
Specificity	Mouse anti Human Cytochrome B245 Heavy Chain antibody, clone NL7 recognizes the heavy chain of cytochrome B245, also known as gp91phox or NOX2, a subunit of the nicotinamide adenine dinucleotide phosphate-oxidase (NADPH oxidase). NADPH oxidase is a membrane-bound enzyme complex in neutrophils that produces the superoxide anion (O_2^-) by transferring single electrons from NADPH inside the cell across the membrane and coupling them to molecular oxygen. Superoxide is used for the destruction of pathogens. Individuals with defects in NADPH oxidase suffer from chronic granulomatous disease, characterised by severe recurrent infections.			
	The heavy chain (gp91phox), along with the light chain (p22phox) form cytochro (also known as flavocytochome b, or Cyt b), which is always membrane-residen the appropriate stimulus, other components of NADPH oxidase (p47phox, p40p p67phox and Rac2) rapidly translocate from the cytosol to the cell membrane to complete enzyme complex. Cytochrome B245 appears to serve as a scaffold for assembly of the other cytosolic units of the oxidase and to provide a transmemb pathway for electrons.	nt. Upon hox, o form the or the		
	Mouse anti Human Cytochrome B245 Heavy Chain antibody, clone NL7 binds a acids 498-506 (EKDVITGLK), a cytosolic epitope on gp91phox not accessible o neutrophils. It recognizes the native as well as the denatured form of the proteir NL7 has an inhibitory effect on NADPH oxidase activation. Research indicates t inhibitory effect is exerted during the initial stages of oxidase activation. The antion to interfere with the translocation of the cytosolic subunits of NADPH oxidase t membrane.	n intact n. Clone that this tibody does		

Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^{6} cells in 100ul.
References	 Burritt, J.B. <i>et al.</i> (2003) Functional epitope on human neutrophil flavocytochrome b558. JImmunol. 170 (12): 6082-9. Taylor, R.M. <i>et al.</i> (2004) Site-specific inhibitors of NADPH oxidase activity and structural probes of flavocytochrome b: characterization of six monoclonal antibodies to the p22phox subunit. JImmunol. 173 (12): 7349-57. Taylor, R.M. <i>et al.</i> (2007) Cloning, sequence analysis and confirmation of derived gene sequences for three epitope-mapped monoclonal antibodies against human phagocyte flavocytochrome b. Mol Immunol. 44 (4): 625-37. Cao, S. (2010) Fc gamma receptors are required for NF-kappaB signaling, microglial activation and dopaminergic neurodegeneration in an AAV-synuclein mouse model of Parkinson's disease. Mol Neurodegener. 5: 42. Kovács I <i>et al.</i> (2015) Reactive oxygen species-mediated bacterial killing by B lymphocytes. J Leukoc Biol. 97 (6): 1133-7.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA4685A488 10041
	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 488 (MCA928A488)

Recommended Useful Reagents

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	.com	Email: antibody_sales_uk@bio-rac	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367891:200529'

Printed on 20 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint