

Datasheet: MCA4693

Description:	RAT ANTI MOUSE IgD HEAVY CHAIN
Specificity:	IgD HEAVY CHAIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	LO-MD-6
Isotype:	IgG2a
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0mg/ml

External Database Links

UniProt:

[P01881](#) [Related reagents](#)

[P01882](#) [Related reagents](#)

Entrez Gene:

[380797](#) Ighd [Related reagents](#)

[380797](#) Ighd [Related reagents](#)

RRID AB_1605058

Specificity **Rat anti Mouse IgD Heavy Chain antibody, clone LO-MD-6** recognizes the delta heavy chain of mouse immunoglobulin. It does not react with human IgG or IgM.

Rat anti Mouse IgD Heavy Chain antibody, clone LO-MD-6 also does not react with chicken, rabbit, goat, sheep, bovine, horse, dog, pig or baboon IgG.

References

1. Denis, O. *et al.* (1993) Resting B cells can act as antigen presenting cells *in vivo* and induce antibody responses. [Int Immunol. 5 \(1\): 71-8.](#)
2. Levit-Zerdoun, E. *et al.* (2016) Survival of Igα-Deficient Mature B Cells Requires BAFF-R Function. [J Immunol. Feb 3. pii: 1501707. \[Epub ahead of print\]](#)
3. Maity, P.C. *et al.* (2015) B cell antigen receptors of the IgM and IgD classes are clustered in different protein islands that are altered during B cell activation. [Sci Signal. 8 \(394\): ra93.](#)

Storage Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR21...)	HRP
Goat Anti Rat IgG (STAR72...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight®800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight®800

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M367899:200529'

