

## Datasheet: MCA469B

**BATCH NUMBER 151022**

<b>Description:</b>	MOUSE ANTI HUMAN CD9:Biotin
<b>Specificity:</b>	CD9
<b>Other names:</b>	MRP-1
<b>Format:</b>	Biotin
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MM2/57
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/5
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	<p>Reacts with: Cat, Rhesus Monkey, Bovine, Dog, Rabbit, Horse, Pig, Mink, Llama, Ferret</p> <p>Based on sequence similarity, is expected to react with: Mustelid</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG conjugated to Biotin - liquid.
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide 1% Bovine Serum Albumin
<b>Approx. Protein Concentrations</b>	IgG concentration 0.1 mg/ml
<b>Immunogen</b>	Human platelet membranes
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P21926</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">928</a>    CD9    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	MIC3, TSPAN29
<b>RRID</b>	AB_323912
<b>Fusion Partners</b>	Spleen cells from immunised BALB/c mice were fused with cells from the SP2/0 mouse myeloma line
<b>Specificity</b>	<p><b>Mouse anti Human CD9 antibody, clone MM2/57</b> recognizes human leukocyte antigen MIC3 also known as MRP-1 or CD9. CD9 is a 228 amino acid multi pass membrane glycoprotein belonging to the tetraspanin family with a molecular weight of ~24 kDa expressed by platelets, monocytes, some lymphocytes and endothelial cells.</p> <p>Mouse anti Human CD9 antibody, clone MM2/57 recognizes a conserved epitope on CD9 present on a wide range of mammalian species.</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 100ul whole blood
<b>References</b>	<ol style="list-style-type: none"> <li>1. Boucheix, C. <i>et al.</i> (1991) Molecular cloning of the CD9 antigen. A new family of cell surface proteins. <a href="#">J Biol Chem. 266 (1): 117-22.</a></li> <li>2. Brodersen, R. <i>et al.</i> (1998) Analysis of the immunological cross reactivities of 213 well characterized monoclonal antibodies with specificities against various leucocyte surface antigens of human and 11 animal species. <a href="#">Vet Immunol Immunopathol. 64 (1): 1-13.</a></li> <li>3. Ibrahim, S. <i>et al.</i> (2007) Screening of anti-human leukocyte monoclonal antibodies for reactivity with equine leukocytes <a href="#">Vet. Immunol Immunopathol. 119: 63-80</a></li> <li>4. Jennings, L. K. <i>et al.</i> (1995) CD9 cluster workshop report: cell surface binding and functional analysis. In S.F. Schlossman. <i>et al.</i> Editors. 1995. Leucocyte Typing V. White Cell Differentiation Antigens. Oxford University Press, New York, NY. 1249-1251.</li> <li>5. Martel, C.J. &amp; Aasted, B. (2009) Characterization of antibodies against ferret immunoglobulins, cytokines and CD markers. <a href="#">Vet Immunol Immunopathol. 132:109-15.</a></li> <li>6. Aasted, B. <i>et al.</i> (2007) Reactivity of monoclonal antibodies to human CD antigens with cells from mink. <a href="#">Vet Immunol Immunopathol. 119: 27-37.</a></li> </ol>

7. Davis, W.C. *et al.* (2007) Use of flow cytometry to identify monoclonal antibodies that recognize conserved epitopes on orthologous leukocyte differentiation antigens in goats, llamas, and rabbits. [Vet Immunol Immunopathol. 119: 123-30.](#)
8. Ferrer, M. *et al.* (1998) Pattern of expression of tetraspanin antigen genes in Burkitt lymphoma cell lines. [Clin Exp Immunol. 113: 346-52.](#)
9. Kao, Y.R. *et al.* (2003) Tumor-associated antigen L6 and the invasion of human lung cancer cells. [Clin Cancer Res. 9: 2807-16.](#)
10. Müller, T. *et al.* (2009) A novel embryonic stem cell line derived from the common marmoset monkey (*Callithrix jacchus*) exhibiting germ cell-like characteristics. [Hum Reprod. 24: 1359-72.](#)
11. Kubota, H. *et al.* (2011) Glial cell line-derived neurotrophic factor and endothelial cells promote self-renewal of rabbit germ cells with spermatogonial stem cell properties. [FASEB J. 25 \(8\): 2604-14.](#)
12. Hogue, I.B. *et al.* (2011) Gag induces the coalescence of clustered lipid rafts and tetraspanin-enriched microdomains at HIV-1 assembly sites on the plasma membrane. [J Virol. 85 \(19\): 9749-66.](#)
13. Löffler, S. *et al.* (1997) CD9, a tetraspan transmembrane protein, renders cells susceptible to canine distemper virus. [J Virol. 71: 42-9.](#)
14. Meister, R.K. *et al.* (2007) Progress in the discovery and definition of monoclonal antibodies for use in feline research. [Vet Immunol Immunopathol. 119: 38-46.](#)
15. Bearden, R.N. *et al.* (2017) *In-vitro* characterization of canine multipotent stromal cells isolated from synovium, bone marrow, and adipose tissue: a donor-matched comparative study. [Stem Cell Res Ther. 8 \(1\): 218.](#)
16. Jackson, C.E. *et al.* (2017) Effects of Inhibiting VPS4 Support a General Role for ESCRTs in Extracellular Vesicle Biogenesis. [Biophys J. 113 \(6\): 1342-1352.](#)
17. Wąchalska, M. *et al.* (2020) Palmitoylated mNeonGreen Protein as a Tool for Visualization and Uptake Studies of Extracellular Vesicles [Membranes. 10 \(12\): 373.](#)

<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10041 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA469B">https://www.bio-rad-antibodies.com/SDS/MCA469B</a></p> <p>10041</p>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

## HUMAN SEROBLOCK (BUF070B)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M367918:200529'

**Printed on 21 Feb 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)