

# Datasheet: MCA469F **BATCH NUMBER 165317**

Description:	MOUSE ANTI HUMAN CD9:FITC
Specificity:	CD9
Other names:	MRP-1
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	MM2/57
Isotype:	lgG2b
Quantity:	0.1 mg

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.biorad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Species Cross</b>	
Reactivity	

**Target Species** 

Human

Reacts with: Cat, Rhesus Monkey, Bovine, Dog, Rabbit, Horse, Pig, Mink, Llama, Ferret Based on sequence similarity, is expected to react with: Mustelid

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

<b>Product</b>	<b>Form</b>
----------------	-------------

Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525

### Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.

Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	
	1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Concentrations	
Immunogen	Human platelet membranes
External Database	Har Bara ta
Links	UniProt:
	P21926 Related reagents
	Entrez Gene:
	928 CD9 Related reagents
_	
Synonyms	MIC3, TSPAN29
RRID	AB_321492
Fusion Dominous	O Learner Harford Street Control of the All Principles of the All
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells from the SP2/0 mouse myeloma line
	,
Specificity	Mouse anti Human CD9 antibody, clone MM2/57 recognizes human leukocyte antigen
	MIC3 also known as MRP-1 or CD9. CD9 is a 228 amino acid multi pass membrane
	glycoprotein belonging to the tetraspanin family with a molecular weight of ~24 kDa
	expressed by platelets, monocytes, some lymphocytes and endothelial cells.
	Mouse anti Human CD9 antibody, clone MM2/57 recognizes a conserved epitope on CD9
	present on a wide range of mammalian species.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	1. Ed Knapp W. <i>et al.</i> (1989) Leucocyte Typing IV Oxford University Press.
	2. Jennings, L. K. <i>et al.</i> (1995) CD9 cluster workshop report: cell surface binding and
	functional analysis. In S.F. Sclossman. <i>et al.</i> Editors. 1995. Leucocyte Typing V. White Cell
	Differentiation Antigens. Oxford University Press, New York, NY. 1249-1251.
	3. Löffler, S. <i>et al.</i> (1997) CD9, a tetraspan transmembrane protein, renders cells
	susceptible to canine distemper virus. <u>J Virol. 71: 42-9.</u>
	4. Brodersen, R. <i>et al.</i> (1998) Analysis of the immunological cross reactivities of 213 well
	characterized monoclonal antibodies with specificities against various leucocyte surface
	·
	antigens of human and 11 animal species. <u>Vet Immunol Immunopathol. 64 (1): 1-13.</u>
	5. Ferrer, M. <i>et al.</i> (1998) Pattern of expression of tetraspanin antigen genes in Burkitt
	lymphoma cell lines. Clin Exp Immunol. 113: 346-52.
	6 Vac VD at al (2002) Tumor accepted antique I C and the investigant flower in the
	6. Kao, Y.R. <i>et al.</i> (2003) Tumor-associated antigen L6 and the invasion of human lung
	<ul> <li>6. Kao, Y.R. <i>et al.</i> (2003) Tumor-associated antigen L6 and the invasion of human lung cancer cells. Clin Cancer Res. 9: 2807-16.</li> <li>7. Aasted, B. <i>et al.</i> (2007) Reactivity of monoclonal antibodies to human CD antigens with</li> </ul>

cells from mink. Vet Immunol Immunopathol. 119: 27-37.

- 8. Davis, W.C. *et al.* (2007) Use of flow cytometry to identify monoclonal antibodies that recognize conserved epitopes on orthologous leukocyte differentiation antigens in goats, llamas, and rabbits. Vet Immunol Immunopathol. 119: 123-30.
- 9. Meister, R.K. *et al.* (2007) Progress in the discovery and definition of monoclonal antibodies for use in feline research. <u>Vet Immunol Immunopathol. 119: 38-46.</u>
- 10. Martel, C.J. & Aasted, B. (2009) Characterization of antibodies against ferret immunoglobulins, cytokines and CD markers. <u>Vet Immunol Immunopathol. 132:109-15.</u>
- 11. Müller, T. *et al.* (2009) A novel embryonic stem cell line derived from the common marmoset monkey (*Callithrix jacchus*) exhibiting germ cell-like characteristics. <u>Hum</u> Reprod. 24: 1359-72.
- 12. Kubota, H. *et al.* (2011) Glial cell line-derived neurotrophic factor and endothelial cells promote self-renewal of rabbit germ cells with spermatogonial stem cell properties. <u>FASEB J. 25 (8): 2604-14.</u>
- 13. Hogue, I.B. *et al.* (2011) Gag induces the coalescence of clustered lipid rafts and tetraspanin-enriched microdomains at HIV-1 assembly sites on the plasma membrane. <u>J Virol. 85 (19): 9749-66.</u>
- 14. Viswanathan, K. *et al.* (2017) Quantitative membrane proteomics reveals a role for tetraspanin enriched microdomains during entry of human cytomegalovirus. <u>PLoS One. 12</u> (11): e0187899.
- 15. Bearden, R.N. *et al.* (2017) *In-vitro* characterization of canine multipotent stromal cells isolated from synovium, bone marrow, and adipose tissue: a donor-matched comparative study. <u>Stem Cell Res Ther. 8 (1): 218.</u>
- 16. Jackson, C.E. *et al.* (2017) Effects of Inhibiting VPS4 Support a General Role for ESCRTs in Extracellular Vesicle Biogenesis. <u>Biophys J. 113 (6): 1342-1352.</u>
- 17. Fish, E.J. *et al.* (2018) Malignant canine mammary epithelial cells shed exosomes containing differentially expressed microRNA that regulate oncogenic networks. <u>BMC Cancer. 18 (1): 832.</u>
- 18. Wąchalska, M. *et al.* (2020) Palmitoylated mNeonGreen Protein as a Tool for Visualization and Uptake Studies of Extracellular Vesicles. <u>Membranes (Basel). 10 (12):</u> 373.
- 19. Fu, T.S. *et al.* (2023) Biomimetic vascularized adipose-derived mesenchymal stem cells bone-periosteum graft enhances angiogenesis and osteogenesis in a male rabbit spine fusion model. Bone Joint Res. 12 (12): 722-33.
- 20. Kwasnik, M. *et al.* (2023) Protein-Coding Region Derived Small RNA in Exosomes from Influenza A Virus-Infected Cells. <u>Int J Mol Sci. 24 (1): 867.</u>
- 21. Grabowska, K. *et al.* (2020) Alphaherpesvirus gB Homologs Are Targeted to Extracellular Vesicles, but They Differentially Affect MHC Class II Molecules. <u>Viruses. 12</u> (4): 429.

#### **Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Health And Safety
Information

Material Safety Datasheet documentation #10041 available at:
https://www.bio-rad-antibodies.com/SDS/MCA469F
10041

Regulatory

For research purposes only

## Related Products

## **Recommended Negative Controls**

MOUSE IgG2b NEGATIVE CONTROL:FITC (MCA691F)

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385731:210513'

#### Printed on 21 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint