

Datasheet: MCA469GT

BATCH NUMBER 173464

Description:	MOUSE ANTI HUMAN CD9
Specificity:	CD9
Other names:	MRP-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MM2/57
Isotype:	IgG2b
Quantity:	25 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/100 - 1/200
Immunohistology - Frozen	▪			1/500 - 1/1000
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	<p>Reacts with: Cat, Rhesus Monkey, Bovine, Dog, Rabbit, Horse, Pig, Mink, Llama, Ferret</p> <p>Based on sequence similarity, is expected to react with: Mustelid</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Human platelet membranes
External Database Links	<p>UniProt: P21926 Related reagents</p> <p>Entrez Gene: 928 CD9 Related reagents</p>
Synonyms	MIC3, TSPAN29
RRID	AB_1102437
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells from the SP2/0 mouse myeloma line
Specificity	<p>Mouse anti Human CD9 antibody, clone MM2/57 recognizes human leukocyte antigen MIC3 also known as MRP-1 or CD9. CD9 is a 228 amino acid multi pass membrane glycoprotein belonging to the tetraspanin family with a molecular weight of ~24 kDa expressed by platelets, monocytes, some lymphocytes and endothelial cells.</p> <p>Mouse anti Human CD9 antibody, clone MM2/57 recognizes a conserved epitope on CD9 present on a wide range of mammalian species.</p> <p>Clone MM2/57 has shown weak cross reactivity to porcine CD9 (Milburn, et al. 2021).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood
References	<ol style="list-style-type: none"> Ed Knapp W. <i>et al.</i> (1989) Leucocyte Typing IV Oxford University Press. Jennings, L. K. <i>et al.</i> (1995) CD9 cluster workshop report: cell surface binding and functional analysis. In S.F. Sclossman. <i>et al.</i> Editors. 1995. Leucocyte Typing V. White Cell Differentiation Antigens. Oxford University Press, New York, NY. 1249-1251. Löffler, S. <i>et al.</i> (1997) CD9, a tetraspan transmembrane protein, renders cells susceptible to canine distemper virus. J Virol. 71: 42-9. Brodersen, R. <i>et al.</i> (1998) Analysis of the immunological cross reactivities of 213 well characterized monoclonal antibodies with specificities against various leucocyte surface

- antigens of human and 11 animal species. [Vet Immunol Immunopathol. 64 \(1\): 1-13.](#)
5. Ferrer, M. *et al.* (1998) Pattern of expression of tetraspanin antigen genes in Burkitt lymphoma cell lines. [Clin Exp Immunol. 113: 346-52.](#)
6. Kao, Y.R. *et al.* (2003) Tumor-associated antigen L6 and the invasion of human lung cancer cells. [Clin Cancer Res. 9: 2807-16.](#)
7. Aasted, B. *et al.* (2007) Reactivity of monoclonal antibodies to human CD antigens with cells from mink. [Vet Immunol Immunopathol. 119: 27-37.](#)
8. Davis, W.C. *et al.* (2007) Use of flow cytometry to identify monoclonal antibodies that recognize conserved epitopes on orthologous leukocyte differentiation antigens in goats, llamas, and rabbits. [Vet Immunol Immunopathol. 119: 123-30.](#)
9. Meister, R.K. *et al.* (2007) Progress in the discovery and definition of monoclonal antibodies for use in feline research. [Vet Immunol Immunopathol. 119: 38-46.](#)
10. Martel, C.J. & Aasted, B. (2009) Characterization of antibodies against ferret immunoglobulins, cytokines and CD markers. [Vet Immunol Immunopathol. 132:109-15.](#)
11. Müller, T. *et al.* (2009) A novel embryonic stem cell line derived from the common marmoset monkey (*Callithrix jacchus*) exhibiting germ cell-like characteristics. [Hum Reprod. 24: 1359-72.](#)
12. Kubota, H. *et al.* (2011) Glial cell line-derived neurotrophic factor and endothelial cells promote self-renewal of rabbit germ cells with spermatogonial stem cell properties. [FASEB J. 25 \(8\): 2604-14.](#)
13. Hogue, I.B. *et al.* (2011) Gag induces the coalescence of clustered lipid rafts and tetraspanin-enriched microdomains at HIV-1 assembly sites on the plasma membrane. [J Virol. 85 \(19\): 9749-66.](#)
14. Viswanathan, K. *et al.* (2017) Quantitative membrane proteomics reveals a role for tetraspanin enriched microdomains during entry of human cytomegalovirus. [PLoS One. 12 \(11\): e0187899.](#)
15. Bearden, R.N. *et al.* (2017) *In-vitro* characterization of canine multipotent stromal cells isolated from synovium, bone marrow, and adipose tissue: a donor-matched comparative study. [Stem Cell Res Ther. 8 \(1\): 218.](#)
16. Jackson, C.E. *et al.* (2017) Effects of Inhibiting VPS4 Support a General Role for ESCRTs in Extracellular Vesicle Biogenesis. [Biophys J. 113 \(6\): 1342-1352.](#)
17. Fish, E.J. *et al.* (2018) Malignant canine mammary epithelial cells shed exosomes containing differentially expressed microRNA that regulate oncogenic networks. [BMC Cancer. 18 \(1\): 832.](#)
18. Wąchalska, M. *et al.* (2020) Palmitoylated mNeonGreen Protein as a Tool for Visualization and Uptake Studies of Extracellular Vesicles. [Membranes \(Basel\). 10 \(12\): 373.](#)
19. Fu, T.S. *et al.* (2023) Biomimetic vascularized adipose-derived mesenchymal stem cells bone-periosteum graft enhances angiogenesis and osteogenesis in a male rabbit spine fusion model. [Bone Joint Res. 12 \(12\): 722-33.](#)
20. Kwasnik, M. *et al.* (2023) Protein-Coding Region Derived Small RNA in Exosomes from Influenza A Virus-Infected Cells. [Int J Mol Sci. 24 \(1\): 867.](#)
21. Grabowska, K. *et al.* (2020) Alpha herpesvirus gB Homologs Are Targeted to Extracellular Vesicles, but They Differentially Affect MHC Class II Molecules. [Viruses. 12 \(4\): 429.](#)
22. Milburn, J.V. *et al.* (2021) Expression of CD9 on porcine lymphocytes and its relation to T cell differentiation and cytokine production. [Dev Comp Immunol. 121: 104080.](#)

23. Oraki Koshour, M. *et al.* (2025) Comparing the proteome profiling of plasma-derived extracellular vesicles in individuals with schizophrenia and healthy controls: a pilot study. [Schizophr Res. 285: 87-94.](#)
24. Almiñana, C. *et al.* (2025) Divergent selection for litter size variability affects RNA cargo in oviductal extracellular vesicles related to embryonic development and survival. [Biol Res. 58 \(1\): 63.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA469GT>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)

Goat Anti Mouse IgG (STAR70...) [FITC](#)

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Goat Anti Mouse IgG (STAR76...) [RPE](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#), [DyLight®650](#), [DyLight®680](#), [DyLight®800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M450379:260316'

Printed on 27 May 2026