

Datasheet: MCA4705PE

Description:	HAMSTER ANTI MOUSE CD103:RPE
Specificity:	CD103
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	2E7
Isotype:	IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/5 - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)		
Approx. Protein Concentrations	IgG concentration 0.2 mg/ml		
Immunogen	Mouse intestinal intraepithelial lymphocytes		

UniProt:

[Q60677](#)

[Related reagents](#)

Entrez Gene:

[16407](#)

Itgae

[Related reagents](#)

Specificity

Hamster anti Mouse CD103 antibody, clone 2E7 recognizes mouse CD103, otherwise known as integrin alpha-E. CD103 binds Integrin beta 7 to form the heterodimeric integrin molecule $\alpha E\beta 7$. This complex is sometimes referred to as CD103, though strictly speaking CD103 only refers to the alpha chain. The beta 7 subunit can also interact with other integrin alpha chains. The $\alpha E\beta 7$ complex is a receptor for E-cadherin. It mediates adhesion of intra-epithelial T-lymphocytes to epithelial cell monolayers. CD103 is expressed on intestinal intraepithelial lymphocytes and is highly expressed on regulatory T cells. Hamster anti Mouse CD103 antibody, clone 2E7 is expected to also recognize the intact $\alpha E\beta 7$ complex.

Flow Cytometry

Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul

References

1. Lefrançois, L. *et al.* (1994) Developmental expression of the alpha IEL beta 7 integrin on T cell receptor gamma delta and T cell receptor alpha beta T cells. [Eur J Immunol. 24: 635- 640](#)

Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.

Health And Safety
Information

Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA4705PE>
10040

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[HAMSTER \(ARMENIAN\) IgG NEGATIVE CONTROL:RPE \(MCA2356PE\)](#)

North & South
America

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M402017:220718'

Printed on 12 Aug 2023

