

Datasheet: MCA4707T BATCH NUMBER 149931

Description:	RAT ANTI MOUSE CD107a
Specificity:	CD107a
Other names:	LAMP-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	1D4B
Isotype:	lgG2a
Quantity:	25 μg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/10 - 1/20
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation	•			
Western Blotting				
Immunofluorescence	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Approx. Protein Concentrations	IgG concentration 0.5mg/ml
Immunogen	Mouse 3T3 embryonic fibroblastoid cells.
External Database Links	UniProt: P11438 Related reagents Entrez Gene: 16783 Lamp1 Related reagents
Synonyms	Lamp-1
RRID	AB_2134482
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the non-secreting murine P3-X63Ag8 myeloma.
Specificity	Rat anti Mouse CD107a antibody, clone 1D4B recognises murine CD107a, otherwise known as Lysosome-associated membrane glycoprotein 1 or LAMP-1. CD107a is a glycoprotein responsible for presenting carbohydrate ligands to selectins. It may also play a role in tumour metastasis. It is expressed ubiquitously, with higher levels in spleen, liver and kidney. CD107a may be used as a marker for lysosomal storage disorders.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	 Andrejewski, N. <i>et al.</i> (1999) Normal lysosomal morphology and function in LAMP-1-deficient mice. <u>J Biol Chem. 274 (18): 12692-701.</u> Winder, A.J. <i>et al.</i> (1993) The mouse brown (b) locus protein has dopachrome tautomerase activity and is located in lysosomes in transfected fibroblasts. <u>J Cell Sci. 106 (Pt 1): 153-66.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA4707T 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...) DyLight®800

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Recommended Negative Controls

RAT IgG2a NEGATIVE CONTROL (MCA1212)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367949:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint