

# Datasheet: MCA4709T BATCH NUMBER 220615

Description:	RAT ANTI MOUSE CD202b
Specificity:	CD202b
Other names:	TIE-2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	TEK4
Isotype:	lgG1
Quantity:	25 μg

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/10 - 1/20
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting				
Immunofluorescence	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )

Approx. Protein Concentrations

IgG concentration 0.5mg/ml

**External Database** 

Links

**UniProt:** 

Q02858 Related reagents

**Entrez Gene:** 

21687 Tek Related reagents

**Synonyms** 

Hyk, Tie2, Tie-2

**RRID** 

AB 2203222

**Specificity** 

Rat anti Mouse CD202b antibody, clone TEK4 recognizes mouse CD202, also known as TIE-2 or TEK, a protein-tyrosine kinase transmembrane receptor for angiopoietin 1. CD202b is expressed in developing vascular endothelial cells and probably regulates endothelial cell proliferation and differentiation and guides the proper patterning of endothelial cells during blood vessel formation. Defects in the gene are associated with venous malformations (Sato et al. 1995).

Flow Cytometry

Use 10ul of the suggested working dilution to label 1x10<sup>6</sup> cells in 100ul.

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety** Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA4709T

10040

Regulatory

For research purposes only

#### Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) DyLight®800

Rabbit Anti Rat IgG (STAR17...) **FITC** Goat Anti Rat IgG (STAR69...) **FITC** Goat Anti Rat IgG (STAR73...) **RPE** Rabbit Anti Rat IgG (STAR21...) **HRP** 

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR72...) **HRP**  North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 America

Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.comd a Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367950:200529'

#### Printed on 28 Jan 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint