

Datasheet: MCA4714A488

Description:	RAT ANTI MOUSE CD39:Alexa Fluor® 488
Specificity:	CD39
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	Duha59
Isotype:	IgG2a
Quantity:	100 TESTS/1ml

Product Details

RRID AB_2099924

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species Mouse

Product Form Purified IgG conjugated to Alexa Fluor 488 - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®488	495	519

Preparation Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution Phosphate buffered saline

Preservative 0.09% Sodium Azide (NaN₃)
Stabilisers 1% Bovine Serum Albumin

Approx. Protein Concentrations IgG concentration 0.05mg/ml

Immunogen A CD39 expression construct and a final boost with CD39-transfected HEK cells.

External Database Links	UniProt: P55772 Related reagents Entrez Gene: 12495 Entpd1 Related reagents
Synonyms	Cd39
Fusion Partners	Spleen cells from immunised rats were fused with cells of the Sp2/0 myeloma cell line.
Specificity	Rat anti Mouse CD39 antibody, clone Duha59 recognizes CD39, also known as Ectonucleoside triphosphate diphosphohydrolase 1 (ENTPD1) or Ecto-ATP diphosphohydrolase. CD39 was first described as a B cell activation marker, but is also expressed on natural killer cells, monocytes, dendritic cells and subsets of activated T cells. It is critical in the regulation of leukocyte accumulation within hypoxic tissues and plays a role in the thromboregulation of platelet and endothelial function activation. CD39, along with CD73, distinguishes regulatory T cells from other resting or activated T cells and plays a role in the suppressive action of regulatory T cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
Further Reading	1. Dwyer, K.M. <i>et al.</i> (2007) CD39 and control of cellular immune responses. Purinergic Signal. 3 (1-2): 171-80.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL:Alexa Fluor® 488 \(MCA1212A488\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com
'M343763:190111'

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

Printed on 20 May 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)