

Datasheet: MCA4740

**BATCH NUMBER 156606**

<b>Description:</b>	MOUSE ANTI HUMAN GAPDH
<b>Specificity:</b>	GAPDH
<b>Other names:</b>	GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	4G5
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.2 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation	▪			
Western Blotting	▪			
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	<p>Reacts with: Bovine, Pig, Goat, Cat, Rat, Mouse, Dog, Rabbit, Fish</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid

<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from ascites
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml
<b>Immunogen</b>	Human cardiac muscle GAPDH.
<b>External Database Links</b>	<p><b>UniProt:</b></p> <p><a href="#">P46406</a>      <a href="#">Related reagents</a></p> <p><a href="#">P04406</a>      <a href="#">Related reagents</a></p> <p><a href="#">P04797</a>      <a href="#">Related reagents</a></p> <p><a href="#">P16858</a>      <a href="#">Related reagents</a></p> <p><a href="#">P00355</a>      <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b></p> <p><a href="#">100009074</a>    GAPDH    <a href="#">Related reagents</a></p> <p><a href="#">2597</a>            GAPDH    <a href="#">Related reagents</a></p> <p><a href="#">396823</a>        GAPDH    <a href="#">Related reagents</a></p> <p><a href="#">14433</a>         Gapdh     <a href="#">Related reagents</a></p> <p><a href="#">24383</a>         Gapdh     <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Gapd, GAPD
<b>RRID</b>	AB_2107457
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Human GAPDH antibody, clone 4G5</b> recognizes glyceraldehyde-3-phosphate dehydrogenase (GAPDH), a 36 kDa protein whose main function is to catalyse the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate, in conjunction with inorganic phosphate and nicotinamide adenine dinucleotide (NAD). This reaction is an important energy yielding step in carbohydrate metabolism.</p> <p>GAPDH has also been shown to translocate to the nucleus under a variety of stressors, most of which are associated with oxidative stress, whereby it mediates cell death (Chuang &amp; Ishitani 1996). GAPDH binds to several proteins responsible for neurodegenerative diseases, such as amyloid precursor protein and Huntingtin (<a href="#">Burke et al. 1996</a>).</p>
<b>References</b>	1. Sun, S.Q. <i>et al.</i> (2012) Enhanced T cell immunity by B7-H4 downregulation in nonsmall-cell lung cancer cell lines. <a href="#">J Int Med Res. 40: 497-506.</a>

2. Northrup, E. *et al.* (2012) The ter mutation in the rat Dnd1 gene initiates gonadal teratomas and infertility in both genders. [PLoS One. 7: e38001.](#)
3. DeVallière, C. *et al.* (2015) The pH-sensing receptor OGR1 improves barrier function of epithelial cells and inhibits migration in an acidic environment. [Am J Physiol Gastrointest Liver Physiol. 309 \(6\): G475-90.](#)
4. Shimizu, H. *et al.* (2016) Transgenic mice overexpressing nesfatin/nucleobindin-2 are susceptible to high-fat diet-induced obesity. [Nutr Diabetes. 6: e201.](#)
5. Ellegaard, A.M. *et al.* (2016) Repurposing Cationic Amphiphilic Antihistamines for Cancer Treatment. [EBioMedicine. 9: 130-9.](#)
6. Tirumuru, N. *et al.* (2016) N(6)-methyladenosine of HIV-1 RNA regulates viral infection and HIV-1 Gag protein expression. [Elife. 5Jul 02 \[Epub ahead of print\].](#)
7. Clark, P.A. *et al.* (2017) Resveratrol targeting of AKT and p53 in glioblastoma and glioblastoma stem-like cells to suppress growth and infiltration. [J Neurosurg. 126 \(5\): 1448-60.](#)
8. Kim, J. *et al.* (2018) MicroRNA-378 is involved in hedgehog-driven epithelial-to-mesenchymal transition in hepatocytes of regenerating liver. [Cell Death Dis. 9 \(7\): 721.](#)

<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA4740">https://www.bio-rad-antibodies.com/SDS/MCA4740</a> 10040
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>

**North & South** Tel: +1 800 265 7376

**Worldwide**

Tel: +44 (0)1865 852 700

**Europe**

Tel: +49 (0) 89 8090 95 21

To

**America** Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

find a

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M367978:200529'

**Printed on 18 Jan 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)