

Datasheet: MCA4754F

### **BATCH NUMBER 0715**

Description:	MOUSE ANTI RAT CD63:FITC	
Specificity:	CD63	
Format:	FITC	
Product Type:	Monoclonal Antibody	
Clone:	AD1	
Isotype:	lgG1	
Quantity:	0.1 mg	

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Immunogen	RBL-2H3 rat basophilic leukaemia cell line.
External Database Links	UniProt: P28648 Related reagents
	Entrez Gene:  29186 Cd63 Related reagents
RRID	AB_10672560
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the X63-Ag8-653 myeloma cell line.
Specificity	<b>Mouse anti Rat CD63 antibody, clone AD1</b> recognizes rat CD63, an intracellular type-III lysosomal glycoprotein and member of the tetraspanin (TM4SF) family, found on activated platelets and resident macrophages.
	Rat CD63 is expressed on mast cells, is located near to FcER1.
	Mouse anti Rat CD63 antibody, clone AD1 partially inhibits IgE-mediated histamine release (Kitani et al. 1991).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Kraft, S. <i>et al.</i> (2005) Anti-CD63 antibodies suppress IgE-dependent allergic reactions <i>in vitro</i> and <i>in vivo</i>. <u>J Exp Med. 201: 385-96.</u></li> <li>Boros, M. <i>et al.</i> (1995) Response of mucosal mast cells to intestinal ischemia-</li> </ol>
	reperfusion injury in the rat. Shock. 3 (2): 125-31.
	3. Vincent-Schneider, H. et al. (2001) Secretory granules of mast cells accumulate mature and immature MHC class II molecules <u>J Cell Sci. 114(Pt 2): 323-34.</u>
	4. Ramezani-Moghadam, M. <i>et al.</i> (2015) Adiponectin Reduces Hepatic Stellate Cell Migration by Promoting Tissue Inhibitor of Metalloproteinase-1 (TIMP-1) Secretion. <u>J Biol</u> Chem. 290(9): 5533-42.
	5. Yoshimura, A. <i>et al.</i> (2016) Generation of a novel transgenic rat model for tracing extracellular vesicles in body fluids. <u>Sci Rep. 6: 31172.</u>
Storage	Store at +4°C or at -20°C if preferred.
	Storage in frost-free freezers is not recommended.
	This product should be stored undiluted. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA4754F">https://www.bio-rad-antibodies.com/SDS/MCA4754F</a>

**Regulatory** For research purposes only

# **Related Products**

# **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA1209F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M324545:180727'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint