Datasheet: MCA4754T BATCH NUMBER 148632

Description:	MOUSE ANTI RAT CD63		
Specificity:	CD63		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	AD1		
lsotype:	lgG1		
Quantity:	25 µg		

Product Details

Applications	This product has been reported to work in the following applications. This information is						
	derived from testing within our laboratories, peer-reviewed publications or personal						
	communications from the	originato	ors. Pleas	e refer to references ir	ndicated for further		
	information. For general	protocol r	ecommer	ndations, please visit <u>w</u>	ww.bio-		
	rad-antibodies.com/proto	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			1/10 - 1/200		
	Immunohistology - Frozen						
	Immunohistology - Paraffin	•					
	ELISA						
	Immunoprecipitation	•					
	Western Blotting	•					
	Where this product has n	ot been t	ested for	use in a particular tech	nnique this does not		
	necessarily exclude its us			•	•		
	a guide only. It is recomm						
	system using appropriate			•			
	system using appropriate	negative	positive				
Target Species	Rat						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant			m tissue culture			
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)						
Carrier Free	Yes						

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	RBL-2H3 rat basophilic leukaemia cell line.
External Database Links	UniProt: P28648 Related reagents Entrez Gene: 29186 Cd63 Related reagents
RRID	AB_2076616
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the X63-Ag8-653 myeloma cell line.
Specificity	Mouse anti Rat CD63 antibody, clone AD1 recognizes rat CD63, an intracellular type-III lysosomal glycoprotein and member of the tetraspanin (TM4SF) family, found on activated platelets and resident macrophages. Rat CD63 is expressed on mast cells in tissues and can be induced on other cell types <i>in vitro</i> (Nishikata <i>et al.</i> 1992). Mouse anti Rat CD63 antibody, clone AD1 partially inhibits IgE-mediated histamine release and binding competition studies indicate that it is sterically situated close to the high affinity IgE recenter on rat becaphilic low/cmin (RBL 2H2) cells (Kitopi et al. 1001)
	high-affinity IgE receptor on rat basophilic leukemia (RBL-2H3) cells (<u>Kitani <i>et al.</i> 1991</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10^6 cells in 100ul.
Flow Cytometry Histology Positive Control Tissue	
Histology Positive	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
Histology Positive Control Tissue	 Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul. Mast cells or basophils. 1. Kraft, S. <i>et al.</i> (2005) Anti-CD63 antibodies suppress IgE-dependent allergic reactions <i>in vitro</i> and <i>in vivo</i>. J Exp Med. 201: 385-96. 2. Boros, M. <i>et al.</i> (1995) Response of mucosal mast cells to intestinal ischemia-reperfusion injury in the rat. Shock. 3 (2): 125-31. 3. Vincent-Schneider, H. <i>et al.</i> (2001) Secretory granules of mast cells accumulate mature and immature MHC class II molecules J Cell Sci. 114(Pt 2): 323-34. 4. Ramezani-Moghadam, M. <i>et al.</i> (2015) Adiponectin Reduces Hepatic Stellate Cell Migration by Promoting Tissue Inhibitor of Metalloproteinase-1 (TIMP-1) Secretion. J Biol Chem. 290(9): 5533-42. 5. Yoshimura, A. <i>et al.</i> (2016) Generation of a novel transgenic rat model for tracing extracellular vesicles in body fluids. Sci Rep. 6: 31172. 6. Pasquier, A. <i>et al.</i> (2019) Lysosomal degradation of newly formed insulin granules

	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA4754T 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)		RPE		
	Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
	Goat Anti Mouse IgG (STAR76)	RPE		
	Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
	Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
		DyLight®650, DyLight®680, DyLight®800,		
		FITC, HRP		
	Goat Anti Mouse IgG (STAR77)	HRP		
	Rabbit Anti Mouse IgG (STAR9)	FITC		
	Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		
	Rabbit Anti Mouse IgG (STAR13)	HRP		
	Recommended Negative Controls			

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367989:200529'

Printed on 26 Jun 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint