

# Datasheet: MCA4772EL

Description:	RAT ANTI MOUSE TREM-2:Low Endotoxin
Specificity:	TREM-2
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	78.18
lsotype:	lgG1
Quantity:	0.5 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				1/25 - 1/200
	Immunohistology - Frozen			•	
	Immunohistology - Paraffin			•	
	ELISA			•	
	Immunoprecipitation				
	Western Blotting			•	
	Immunofluorescence			•	
	Functional Assays				
	necessarily exclude its us a guide only. It is recomm system using appropriate	nended th	at the use	er titrates the product f	
Target Species	Mouse				
Product Form	Purified IgG - liquid				
Preparation	Purified IgG prepared by supernatant	affinity ch	iromatogr	aphy on Protein G fro	m tissue culture
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	None present				

Carrier Free	Yes		
Endotoxin Level	< 0.01 EU/ug		
Approx. Protein Concentrations	IgG concentration 1.0mg/ml		
Immunogen	Mouse TREM-2 Fc fusion protein		
External Database Links	UniProt: <u>Q99NH8</u> Related reagents		
	Entrez Gene: <u>83433</u> Trem2 <u>Related reagents</u>		
Synonyms	Trem2a, Trem2b, Trem2c		
RRID	AB_10850330		
Fusion Partners	Lymph node cells from immunised Fisher rats were fused with ce myeloma cell line	lls of the rat YB-2/0	
Specificity	<ul> <li>Rat anti Mouse TREM-2 antibody, clone 78.18 recognizes triggering receptor expressed on myeloid cells 2 (TREM-2), an activating receptor of the Ig superfamily. TREM-2 forms a receptor signaling complex with DAP12 to trigger the activation of the immune response in macrophages and dendritic cells. It may be involved in chronic inflammation and may promote the production of constitutive rather than inflammatory chemokines and cytokines. TREM-2 may also have a functional role in osteoclast formation.</li> <li>Stimulation of TREM-2 with Rat anti Mouse Trem-2 antibody, clone 78.18 enhances multinucleated osteoclast formation <i>in vitro</i>. Rat anti Mouse Trem-2 antibody, clone 78.18 may also be used to block TREM-2 on pre-osteoclasts to inhibit the formation of</li> </ul>		
	multinuclear osteoclasts and to inhibit bone resorption by mature	osteoclasts.	
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in	100ul.	
References	<ol> <li>Humphrey, M.B. <i>et al.</i> (2006) TREM2, a DAP12-associated reconsteoclast differentiation and function. <u>J Bone Miner Res. 21 (2)</u>:</li> <li>Vilalta, A. <i>et al.</i> (2021) Wild-type sTREM2 blocks Aβ aggregation the Alzheimer's R47H mutant increases Aβ aggregation. <u>J Biol Cl</u></li> </ol>	237-45. on and neurotoxicity, but	
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing denature the antibody. Should this product contain a precipitate w microcentrifugation before use.	• •	
Guarantee	12 months from date of despatch		

Acknowledgements This product is for <i>in vitro</i> research use only. It is not to be Use of this product to produce products for sale of for diag discovery purposes is prohibited. In order to obtain a licen commercial purposes, contact The Regents of the University		ostic, therapeutic or drug to use this product for	
Health And Safety Information	Material Safety Datasheet documentation #10162 available at <u>https://www.bio-rad-antibodies.com/SDS/MCA4772EL</u> 10162		
Regulatory	For research purposes only		

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rat IgG (STAR69)	<u>FITC</u>
Goat Anti Rat IgG (STAR73)	RPE
Rabbit Anti Rat IgG (STAR16)	DyLight®800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71	)DyLight®800
Goat Anti Rat IgG (STAR72)	HRP
Rabbit Anti Rat IgG (STAR21)	HRP
Rabbit Anti Rat IgG (STAR17)	<u>FITC</u>
Goat Anti Rat IgG (STAR131)	Alk. Phos., Biotin

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-	rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368015:200529'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint