Datasheet: MCA47R BATCH NUMBER 1804

Description:	MOUSE ANTI RAT CD90		
Specificity:	CD90		
Other names:	THY1		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	OX-7		
lsotype:	lgG1		
Quantity:	0.25 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>				
	rad-antibodies.com/proto	<u>cols</u> .			
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				1/50 - 1/100
	Immunohistology - Frozen	•			
	Immunohistology - Paraffin			•	
	ELISA				
	Immunoprecipitation	•			
	Western Blotting	•			
	Immunofluorescence				
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.				
Target Species	Rat				
Species Cross Reactivity	Reacts with: Rabbit, Mou N.B. Antibody reactivity a reactivity is derived from personal communications further information.	and worki testing w	ng conditi ithin our la	aboratories, peer-revie	wed publications or
Product Form	Purified IgG - liquid				

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant			
Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azide			
Carrier Free	Yes			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml			
Immunogen	Rat Thy1 antigen.			
External Database Links	UniProt: <u>P01830</u> <u>Related reagents</u> Entrez Gene:			
	24832 Thy1 Related reagents			
Synonyms	Thy-1			
RRID	AB_321890			
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.			
Specificity	Mouse anti Rat CD90 antibody, clone OX-7 recognizes rat and CD90, also known as Thy1.1, a GPI-anchored membrane protein containing a single V type Ig-like domain CD90 is expressed on a variety of cell types including thymocytes, neuronal cells, stem cells, immature B cells and connective tissues, CD90 is also expressed in T cells in mice.			
	Since Thy1.1 is a monomorphic determinant in rat but polymorphic in mice, clone MRC OX-7 reacts with Thy1.1 mice e.g. AKR and FVB, but not Thy1.2 mice such as CBA and BALB/c. The affinity of the Fab' of MRC OX-7 for rat Thy1 is $3 \times 10^9 \text{m}^{-1}$ and for mouse Thy1.1 is $3 \times 10^8 \text{m}^{-1}(1)$.			
	Mouse anti rat CD90, clone MRC OX-7 has been demonstrated to promote neurite outgrowths on peripherin-stained sympathetic rat neurons, using fluorescence microscopy (<u>Jeng <i>et al.</i> 1998</u>). Clone OX-7 has also been reported to induce glomerular nephritis in Wistar rats (<u>Tamura <i>et al.</i> 1996</u>).			
	This product is routinely tested in flow cytometry on rat thymocytes.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.			
References	1. Mason, D.W. & Williams, A.F. (1980) The kinetics of antibody binding to membrane			

antigens in solution and at the cell surface. Biochem J. 187 (1): 1-20.

2. Campbell, D.G. *et al.* (1981) Rat brain Thy-1 glycoprotein. The amino acid sequence, disulphide bonds and an unusual hydrophobic region. <u>Biochem J. 195 (1): 15-30.</u>

3. Bukovský, A. *et al.* (1983) The localization of Thy-1.1, MRC OX 2 and Ia antigens in the rat ovary and fallopian tube. <u>Immunology. 48 (3): 587-96.</u>

4. Lee, W.S. *et al.* (1998) Thy-1, a novel marker for angiogenesis upregulated by inflammatory cytokines. <u>Circ Res. 82 (8): 845-51.</u>

5. Jeng, C.J. *et al.* (1998) Thy-1 is a component common to multiple populations of synaptic vesicles. <u>J Cell Biol. 140 (3): 685-98.</u>

6. Banerjee, S.A. *et al.* (1997) An antibody to the tetraspan membrane protein CD9 promotes neurite formation in a partially alpha3beta1 integrin-dependent manner. J Neurosci. 17 (8): 2756-65.

7. Kawachi, H. *et al.* (1992) Epitope-specific induction of mesangial lesions with proteinuria by a MoAb against mesangial cell surface antigen. <u>Clin Exp Immunol. 88 (3):</u> <u>399-404.</u>

8. Tamura, M. *et al.* (1996) Enhanced glomerular profilin gene and protein expression in experimental mesangial proliferative glomerulonephritis. <u>Biochem Biophys Res Commun.</u> <u>222 (3): 683-7.</u>

Stevenson, K.S. *et al.* (2009) Isolation, characterization, and differentiation of thy1.1-sorted pancreatic adult progenitor cell populations. <u>Stem Cells Dev. 18 (10): 1389-98.</u>
Biermann, J. *et al.* (2011) Histone deacetylase inhibitors sodium butyrate and valproic acid delay spontaneous cell death in purified rat retinal ganglion cells. <u>Mol Vis. 17: 395-403.</u>

11. Keller, R.K. *et al.* (2004) Formation of 7-dehydrocholesterol-containing membrane rafts *in vitro* and *in vivo*, with relevance to the Smith-Lemli-Opitz syndrome. <u>J Lipid Res. 45:</u> <u>347-55</u>.

12. Ohashi, N. *et al.* (2010) Glomerular angiotensinogen is induced in mesangial cells in diabetic rats via reactive oxygen species--ERK/JNK pathways. <u>Hypertens Res.</u> <u>33:1174-81.</u>

Maia L *et al.* (2016) Conditioned medium: A new alternative for cryopreservation of equine umbilical cord mesenchymal stem cells. <u>Cell Biol Int. Nov 26. [Epub ahead of print]</u>
Rutigliano, J.A. *et al.* (2008) Screening monoclonal antibodies for cross-reactivity in

the ferret model of influenza infection. J Immunol Methods. 336: 71-7.

15. Freisinger, W. *et al.* (2013) Sensory renal innervation: a kidney-specific firing activity due to a unique expression pattern of voltage-gated sodium channels? <u>Am J Physiol</u> <u>Renal Physiol. 304: F491-7.</u>

16. Shimizu T *et al.* (2016) Bioactivity of sol-gel-derived TiO2 coating on polyetheretherketone: *In vitro* and *in vivo* studies. <u>Acta Biomater. 35: 305-17.</u>

17. Maia, L. *et al.* (2017) A proteomic study of mesenchymal stem cells from equine umbilical cord. <u>Theriogenology. 100: 8-15.</u>

18. Chang, J.C. *et al.* (2019) Early Immune Response to Acute Gastric Fluid Aspiration in a Rat Model of Lung Transplantation. <u>Exp Clin Transplant. 17 (1): 84-92.</u>

19. Huang, X. *et al.* (2019) MRI Tracking of SPIO- and *Fth1*-Labeled Bone Marrow Mesenchymal Stromal Cell Transplantation for Treatment of Stroke. <u>Contrast Media Mol</u> <u>Imaging. 2019: 5184105.</u>

20. Zhao, Y. *et al.* (2017) A new electrospun graphene-silk fibroin composite scaffolds for guiding Schwann cells. J Biomater Sci Polym Ed. 28 (18): 2171-85.

Storage	Store at +4°C or at -20°C if preferred.		
	This product should be stored undiluted.		
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA47R 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	<u>FITC</u> , <u>HRP</u>			

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South	Tel: +1 800 265 7376	Worl
America	Fax: +1 919 878 3751	
	Email: antibody_sales_us@bio-rad.com	

Worldwide Tel: +44 (0)1865 852 700

Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368044:200529'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint