

# Datasheet: MCA484GT

Description:	RAT ANTI HUMAN CD4	
Specificity:	CD4	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	YNB46.1.8	
Isotype:	lgG1	
Quantity:	25 μg	

#### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	<b>Suggested Dilution</b>
Flow Cytometry	•			1/100 - 1/200
Immunohistology - Frozen	•			
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation			•	
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using approprite negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein	IgG concentration 1 mg/ml

# Concentrations **Immunogen** Rat cells transfected with human CD4. **External Database UniProt:** Links P01730 Related reagents **Entrez Gene:** 920 CD4 Related reagents **RRID** AB\_1101989 **Fusion Partners** Spleen cells from immunised PVG-RT1u rats were fused with cells of the rat Y3/Ag1.2.3 myeloma cell line. **Specificity** Rat anti Human CD4 antibody, clone YNB46.1.8 recognizes the human CD4 cell surface antigen, a 55 kDa molecule expressed by helper T lymphocytes and by monocytes. Rat anti Human CD4 antibody, clone YNB46.1.8 blocks syncytia formation of U937 cells infected with HIV. **Flow Cytometry** Use 10ul of the suggested working dilution to label 10<sup>6</sup> cells in 100ul. References 1. Hirbod, T. et al. (2010) Abundant expression of HIV target cells and C-type lectin receptors in the foreskin tissue of young Kenyan men. Am J Pathol. 176: 2798-805. 2. Yawalkar, N. et al. (2000) T cells isolated from positive epicutaneous test reactions to amoxicillin and ceftriaxone are drug specific and cytotoxic. J Invest Dermatol. 115 (4): 647-52. 3. Markovic, I. et al. (2004) Thiol/disulfide exchange is a prerequisite for CXCR4-tropic HIV-1 envelope-mediated T-cell fusion during viral entry. <u>Blood. 103 (5): 1586-94.</u> 4. Hirbod, T. et al. (2011) In situ distribution of HIV-binding CCR5 and C-type lectin receptors in the human endocervical mucosa. PLoS One. 6 (9): e25551. 5. Op De Beeck, A. et al. (2004) The transmembrane domains of the prM and E proteins of yellow fever virus are endoplasmic reticulum localization signals. J Virol. 78 (22): 12591-602. 6. Yawalkar, N. et al. (2001) A comparative study of the expression of cytotoxic proteins in

### Storage

Store at +4°C or at -20°C if preferred.

Pathol. 158 (3): 803-8.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

allergic contact dermatitis and psoriasis: spongiotic skin lesions in allergic contact dermatitis are highly infiltrated by T cells expressing perforin and granzyme B. Am J

Guarantee 18 months from date of despatch.

Health And Safety Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>

Regulatory For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR17...) <u>FITC</u>
Goat Anti Rat IgG (STAR69...) <u>FITC</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR73...)

Rabbit Anti Rat IgG (STAR21...)

HRP

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®800</u>

Goat Anti Rat IgG (STAR72...) HRP

### **Recommended Negative Controls**

#### RAT IgG1 NEGATIVE CONTROL (MCA6004GA)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M348223:190218'

#### Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint