

Datasheet: MCA506A647

BATCH NUMBER 1013

| Description: | RAT ANTI HUMAN CD235a:Alexa Fluor® 647 |
|----------------------|--|
| Specificity: | CD235a |
| Other names: | GLYCOPHORIN A |
| Format: | ALEXA FLUOR® 647 |
| Product Type: | Monoclonal Antibody |
| Clone: | YTH89.1 |
| Isotype: | lgG2b |
| Quantity: | 100 TESTS/1ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human | | |
|------------------------------|--|-----------------------|--------------------|
| Product Form | Purified IgG conjugate | ed to Alexa Fluor® 64 | 7 - liquid |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm |
| | Alexa Fluor®647 | 650 | 665 |
| Preparation Buffer Solution | Purified IgG prepared supernatant Phosphate buffered sa | - | Taphy on Protein G |
| Preservative Stabilisers | 0.09% Sodium Azide 1% Bovine Serum | Albumin | |
| Approx. Protein | IgG concentration 0.0 | 5 mg/ml | |

| Concentrations | | | | |
|----------------------------|--|--|--|--|
| External Database Links | UniProt: P02724 Related reagents | | | |
| | Entrez Gene: 2993 GYPA Related reagents | | | |
| Synonyms | GPA | | | |
| RRID | AB_566660 | | | |
| Fusion Partners | Spleen cells from immunized DA rats were fused with cells of the Y3/Ag.1.2.3. | | | |
| Specificity | Rat anti Human CD235a antibody, clone YTH89.1 recognizes glycophorin A, a major sialoglycoprotein of the human erythrocyte membrane. | | | |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul. | | | |
| References | 1. Outram. S. et al. (1988) Erythromyeloid lineage fidelity is conserved in | | | |

- 1. Outram, S. *et al.* (1988) Erythromyeloid lineage fidelity is conserved in erythroleukaemia. Leuk Res. 12 (8): 651-7.
- 2. Jokiranta, T.S. & Meri, S. (1993) Biotinylation of monoclonal antibodies prevents their ability to activate the classical pathway of complement. <u>J Immunol</u>. 151 (4): 2124-31.
- 3. Basu, S. (2010) Erythrocyte membrane defects and asymmetry in paroxysmal nocturnal hemoglobinuria and myelodysplastic syndrome. <u>Hematology. 15: 236-9.</u>
- 4. Hoang, T. *et al.* (1996) Opposing effects of the basic helix-loop-helix transcription factor SCL on erythroid and monocytic differentiation. <u>Blood. 87: 102-11.</u>
- 5. Lahlil, R. *et al.* (2004) SCL assembles a multifactorial complex that determines glycophorin A expression. <u>Mol Cell Biol. 24: 1439-52.</u>
- 6. Tiziani, S. *et al.* (2009) Metabolomic profiling of drug responses in acute myeloid leukaemia cell lines. <u>PLoS One. 2009;4(1):e4251.</u>
- 7. Saha, S. *et al.* (2011) Elevated levels of redox regulators, membrane-bound globin chains, and cytoskeletal protein fragments in hereditary spherocytosis erythrocyte proteome. <u>Eur J Haematol. 87: 259-66.</u>
- 8. Challier, J.C. *et al.* (2005) Immunocytological evidence for hematopoiesis in the early human placenta. <u>Placenta. 26: 282-8.</u>
- 9. Huang, Y.C. *et al.* (2009) Oral small-molecule tyrosine kinase inhibitor midostaurin (PKC412) inhibits growth and induces megakaryocytic differentiation in human leukemia cells. <u>Toxicol In Vitro. 23: 979-85.</u>
- 10. Lucky AB *et al.* (2016) Plasmodium knowlesi Skeleton-Binding Protein 1 Localizes to the 'Sinton and Mulligan' Stipplings in the Cytoplasm of Monkey and Human Erythrocytes. PLoS One. 11 (10): e0164272.
- 11. Babiker, A.A. *et al.* (2002) Transfer of prostasomal CD59 to CD59-deficient red blood cells results in protection against complement-mediated hemolysis. <u>Am J Reprod Immunol. 47 (3): 183-92.</u>

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA506A647

10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

RAT IgG2b NEGATIVE CONTROL:Alexa Fluor® 647 (MCA6006A647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

America

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368137:200529'

Printed on 09 Feb 2024