

Datasheet: MCA518S

Description:	MOUSE ANTI GUINEA PIG MACROPHAGES
Specificity:	MACROPHAGES/MONOCYTES
Format:	S/N
Product Type:	Monoclonal Antibody
Clone:	MR-1
Isotype:	IgG1
Quantity:	2 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			Neat - 1/10
Immunohistology - Frozen	▪			1/10
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)Membrane permeabilisation is required for this application. Bio-Rad recommends the use of Leucoperm™ (Product Code [BUF09](#)) for this purpose.

Target Species	Guinea Pig
Product Form	Tissue Culture Supernatant - liquid
Preparation	Tissue Culture Supernatant containing 2% foetal bovine serum
Preservative Stabilisers	0.09% Sodium Azide
Immunogen	Guinea Pig lymph node stroma.
RRID	AB_322840
Fusion Partners	Spleen cells from immunised mice were fused with cells of the mouse Sp2/0 myeloma cell line.
Specificity	Mouse anti Guinea Pig macrophages / monocytes antibody, clone MR-1 recognizes a cytoplasmic component of guinea pig monocytes and most tissue macrophages. Mouse anti

Guinea Pig macrophages / monocytes antibody, clone MR-1 does not recognise cortical macrophages of the thymus or microglial cells of the brain.

Flow Cytometry Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References

1. Kraal, G. *et al.* (1988) Histochemical identification of guinea-pig macrophages by monoclonal antibody MR-1. [Immunology. 65 \(4\): 523-8.](#)
2. Shang, S. *et al.* (2011) Activities of TMC207, rifampin, and pyrazinamide against Mycobacterium tuberculosis infection in guinea pigs. [Antimicrob Agents Chemother. 55 \(1\): 124-31.](#)
3. Mateo, M. *et al.* (2011) VP24 is a molecular determinant of Ebola virus virulence in guinea pigs. [J Infect Dis. 204 Suppl 3: S1011-20.](#)
4. Bendig, M.M. *et al.* (2007) Humanized antibodies against leukocyte adhesion molecule VLA-4 [Patent Appl WO 1995019790 A1](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10055 available at: 10055: <https://www.bio-rad-antibodies.com/uploads/MSDS/10055.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [FITC](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M373131:200825'

Printed on 25 Aug 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)