

Datasheet: MCA53FT BATCH NUMBER 1014

Specificity: CD45RC Format: FITC			
	CD45RC		
Product Type: Monoclonal Antibo	Monoclonal Antibody		
Clone: OX-22			
Isotype: IgG1			
Quantity: 0.1 mg			

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			NEAT - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat			
Product Form	Purified IgG conjug	gated to Fluorescein Isoth	niocyanate Isomer 1	(FITC) - liquid
Max Ex/Em	Fluorophore FITC	Excitation Max (nm) 490	Emission Max (nm)	
Preparation	Purified IgG prepa	red by affinity chromatog	raphy on Protein G	
Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azi 1% Bovine Ser	de um Albumin		
Approx. Protein Concentrations	IgG concentration	0.1 mg/ml		

Immunogen	Phytohaemagglutinin (PHA) -activated rat lymphocytes				
External Database Links	UniProt: P04157 Related reagents Entrez Gene: 24699 Ptprc Related reagents				
RRID	AB_321431				
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells from the NS1 mouse myeloma cell line.				
Specificity	Mouse anti Rat CD45RC antibody, clone OX-22 recognizes rat CD45RC, the high molecular weight form of the leucocyte common antigen. The antigen is found on B cells, approximately 50% of bone marrow cells, all CD8+ve T cells, but splits CD4+ve T cells into two populations, CD4+CD45RC ^{high} (Th1-like) and CD4+CD45RC ^{low} (Th2-like).				
	This product is routinely tested in flow cytometry on rat splenocytes.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.				
References	 Spickett, G.P. <i>et al.</i> (1983) MRC OX-22, a monoclonal antibody that labels a new subset of T lymphocytes and reacts with the high molecular weight form of the leukocyte-common antigen. J Exp Med. 158 (3): 795-810. Arthur, R.P. & Mason, D. (1986) T cells that help B cell responses to soluble antigen ar distinguishable from those producing interleukin 2 on mitogenic or allogeneic stimulation. Exp Med. 163 (4): 774-86. Pelegrí, C. <i>et al.</i> (2001) Prevention of adjuvant arthritis by the W3/25 anti-CD4 monoclonal antibody is associated with a decrease of blood CD4(+)CD45RC(high) T cells Clin Exp Immunol. 125 (3): 470-7. 				
Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted.				
	Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.				
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA53FT 10041				

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA1209F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368195:200529'

Printed on 28 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint