

Datasheet: MCA54R

| | |
|----------------------|---------------------|
| Description: | MOUSE ANTI RAT CD43 |
| Specificity: | CD43 |
| Other names: | LEUKOSIALIN |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | W3/13 |
| Isotype: | IgG1 |
| Quantity: | 0.25 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | 1/25 - 1/100 |
| Immunohistology - Frozen | ▪ | | | |
| Immunohistology - Paraffin (1) | ▪ | | | |
| ELISA | | | ▪ | |
| Immunoprecipitation | | | ▪ | |
| Western Blotting | | | ▪ | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.

| | |
|------------------------|---|
| Target Species | Rat |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |

| | |
|---------------------------------------|---|
| Preservative Stabilisers | 0.09% Sodium Azide |
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Rat thymocyte membrane glycoproteins. |
| External Database Links | <p>UniProt: P13838 Related reagents</p> <p>Entrez Gene: 24796 Spn Related reagents</p> |
| RRID | AB_2194201 |
| Fusion Partners | Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line. |
| Specificity | <p>Mouse anti Rat CD43 antibody, clone W3/13 recognizes the rat CD43 cell surface antigen, also known as leukosialin, sialophorin or W3/13 antigen. CD43 is a 371 amino acid ~95 kDa heavily glycosylated single pass type 1 transmembrane glycoprotein (Killeen et al. 1987) expressed by all leucocytes with the exception of B lymphocytes. CD43, in mice acts as a T-cell counter-receptor for CD169 (Siglec-1) suggesting a role in cell-cell interactions (van den Berg et al. 2001)</p> <p>Mouse anti Rat CD43 antibody, clone W3/13 is routinely tested in flow cytometry on rat splenocytes.</p> |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. |
| References | <ol style="list-style-type: none"> 1. Brown, W.R.A. <i>et al.</i> (1981) Identification of a glycoprotein-like molecule at the cell surface of rat thymocytes. Nature. 289: 456-460. 2. Barclay, A. N. (1981) The localization of populations of lymphocytes defined by monoclonal antibodies in rat lymphoid tissues. Immunology. 42: 593-600 3. Jung, S. <i>et al.</i> (1994) Therapeutic effect of transforming growth factor-beta 2 on actively induced EAN but not adoptive transfer EAN Immunology. 83: 545-551. 4. Bataller, R. <i>et al.</i> (2003) Prolonged infusion of angiotensin II into normal rats induces stellate cell activation and proinflammatory events in liver. Am J Physiol Gastrointest Liver Physiol. 285: G642-651 5. Yamanaka, Y. <i>et al.</i> (2011) Immunohistochemical analysis of subcutaneous tissue reactions to methacrylate resin-based root canal sealers. Int Endod J. 44: 669-75. 6. Schwab, J.M. <i>et al.</i> (2005) Spinal cord injury induces early and persistent lesional P2X4 receptor expression. J Neuroimmunol. 163: 185-9. 7. Conrad, S. <i>et al.</i> (2005) Prolonged lesional expression of RhoA and RhoB following spinal cord injury. J Comp Neurol. 487: 166-75. |

8. Zhang, Z. *et al.* (2008) FTY720 ameliorates experimental autoimmune neuritis by inhibition of lymphocyte and monocyte infiltration into peripheral nerves. [Exp Neurol. 210: 681-90.](#)
9. Xu, K. *et al.* (2016) Expression of aryl hydrocarbon receptor in rat brain lesions following traumatic brain injury. [Diagn Pathol. 11 \(1\): 72.](#)
10. Dort, J. *et al.* (2016) Shrimp Protein Hydrolysate Modulates the Timing of Proinflammatory Macrophages in Bupivacaine-Injured Skeletal Muscles in Rats. [Biomed Res Int. 2016: 5214561.](#)
11. Zhang, Z.M. *et al.* (2016) Lesional accumulation of CD8(+) cells in sciatic nerves of experimental autoimmune neuritis rats. [Neurol Sci. 37 \(2\): 199-203.](#)
12. Rice, E.K. *et al.* (2003) Induction of MIF synthesis and secretion by tubular epithelial cells: a novel action of angiotensin II. [Kidney Int. 63 \(4\): 1265-75.](#)

| | |
|--------------------------------------|---|
| Storage | Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| | |
|---|--|
| Goat Anti Mouse IgG IgA IgM (STAR87...) | Alk. Phos. , HRP |
| Goat Anti Mouse IgG (STAR77...) | HRP |
| Rabbit Anti Mouse IgG (STAR12...) | RPE |
| Rabbit Anti Mouse IgG (STAR8...) | DyLight@800 |
| Rabbit Anti Mouse IgG (STAR13...) | HRP |
| Goat Anti Mouse IgG (STAR76...) | RPE |
| Goat Anti Mouse IgG (STAR70...) | FITC |
| Goat Anti Mouse IgG (Fc) (STAR120...) | FITC , HRP |
| Rabbit Anti Mouse IgG (STAR9...) | FITC |
| Goat Anti Mouse IgG (H/L) (STAR117...) | Alk. Phos. , DyLight@488 , DyLight@680 , DyLight@800 , FITC , HRP |

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

From March 15, 2021, we will no longer supply printed datasheets with our products.

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

Look

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

out

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

for

updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M368214:200529'

Printed on 12 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)