

Datasheet: MCA554PE

Description:	MOUSE ANTI HUMAN CD35:RPE
Specificity:	CD35
Other names:	CR1
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	E11
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Reacts with: Cynomolgus monkey, Rhesus Monkey, Baboon
N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1ml distilled water.
 Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 5% Sucrose
Immunogen	Human acute monocytic leukaemia cells.
External Database Links	UniProt: P17927 Related reagents Entrez Gene: 1378 CR1 Related reagents
Synonyms	C3BR
RRID	AB_321674
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity	<p>Mouse anti Human CD35 antibody, clone E11 recognizes complement receptor type 1, also known as CD35 or the C3b/C4b receptor. CD35 a single chain, type I single pass transmembrane glycoprotein which exists in four allotypic forms (A,B,C,D) of ~190 kDa, ~220 kDa, ~160 kDa and ~250 kDa respectively (Khera et al. 2009).</p> <p>CD35 is expressed by granulocytes, monocytes, B cells and some T cells. Functionally, CD35 acts as a receptor for the C3b component of complement.</p> <p>Mouse anti Human CD35 antibody, clone E11 is suitable for use in Western Blotting (Birmingham et al. 1996).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood
References	<ol style="list-style-type: none"> 1. Birmingham, D.J. <i>et al.</i> (1996) The baboon erythrocyte complement receptor is a glycoposphatidylinositol-linked protein encoded by a homologue of the human CR1-like genetic element. J Immunol. 157 (6): 2586-92. 2. Sopper, S. <i>et al.</i> (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. Cytometry. 29 (4): 351-62. 3. Weissgerber P <i>et al.</i> (2003) Investigation of mechanisms involved in phagocytosis of <i>Legionella pneumophila</i> by human cells. FEMS Microbiol Lett. 219 (2): 173-9. 4. Schmidt, C.Q. <i>et al.</i> (2016) Selectivity of C3-opsonin targeted complement inhibitors: A distinct advantage in the protection of erythrocytes from paroxysmal nocturnal hemoglobinuria patients. Immunobiology. 221 (4): 503-11.

5. Noda, G.S. *et al.* (2020) Specificities and isotypes of erythrocytes autoantibodies in patients with warm autoimmune hemolytic anemia [Rev Cubana Hematol Inmunol Hemoter 36\(4\): e1283](#).
6. Klaas, M. *et al.* (2023) Sialoadhesin (CD169/Siglec-1) is an extended molecule that escapes inhibitory cis-interactions and synergizes with other macrophage receptors to promote phagocytosis. [Glycoconj J. Feb 04 \[Epub ahead of print\]](#).
7. Wagstaffe, H.R. *et al.* (2023) The Development of Immunological Assays to Evaluate the Level and Function of Antibodies Induced by *Klebsiella pneumoniae* O-Antigen Vaccines. [mSphere. : e0068022](#).

Storage

Store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #20487 available at: <https://www.bio-rad-antibodies.com/SDS/MCA554PE20487>

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA928PE\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M419552:230616'

Printed on 21 Aug 2023