

Datasheet: MCA564GA

Description:	MOUSE ANTI GUINEA PIG T LYMPHOCYTES
Specificity:	T LYMPHOCYTES
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MsGp7
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Guinea Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Guinea Pig T Lymphocytes
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell

line.

Specificity	Mouse anti Guinea Pig T Lymphocytes, clone MsGp7 , is pan reactive with guinea pig T lymphocytes (>95%) in lymph nodes, and does not react with B lymphocytes. It reacts with approximately 70% of thymocytes by FACS analysis and immunohistochemically the medullary thymocytes strongly express this antigen (Healey et al. 1988).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
References	<ol style="list-style-type: none">1. Healey, D.G. <i>et al.</i> (1988) Behaviour of guinea pig T cells stimulated by antigen, allo-antigen and mitogen. Int Arch Allergy Appl Immunol. 87 (2): 134-42.2. Butter, C. <i>et al.</i> (1988) An immunoelectron microscopical study of the expression of class II MHC and a T lymphocyte surface marker during chronic relapsing experimental allergic encephalomyelitis. J Neuroimmunol. 20 (1): 45-51.3. Kaufmann, E. <i>et al.</i> (2016) BCG Vaccination Induces Robust CD4+ T Cell Responses to <i>Mycobacterium tuberculosis</i> Complex-Specific Lipopeptides in Guinea Pigs. J Immunol. 196 (6): 2723-32.4. Sato H <i>et al.</i> (1997) Production of murine monoclonal antibodies to guinea pig leukocytes and immunohistochemistry of guinea pig skin exposed to <i>Schistosoma mansoni</i>. Hybridoma. 16 (6): 529-36.5. Cowley, S.A. <i>et al.</i> (1989) An immunoelectronmicroscopical study of the expression of major histocompatibility complex (MHC) class II antigens in guinea pig sciatic nerves following induction of intraneural mycobacterial granulomas. J Neuroimmunol. 23 (3): 223-31.6. Schäfer H & Burger R (2012) Tools for cellular immunology and vaccine research the in the guinea pig: monoclonal antibodies to cell surface antigens and cell lines. Vaccine. 30 (40): 5804-11.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Human Anti Mouse IgG2a (HCA037...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@680](#),
[DyLight@800](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[MOUSE ANTI GUINEA PIG B CELL SUBSET \(MCA567\)](#)

[MOUSE ANTI GUINEA PIG MACROPHAGES \(MCA518S\)](#)

[MOUSE ANTI GUINEA PIG CD8:FITC \(MCA752F\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M368281:200529'

Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)