

Datasheet: MCA5665A647

Description:	MOUSE ANTI HUMAN CD16:Alexa Fluor® 647
Specificity:	CD16
Other names:	FcRIII
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	KD1
Isotype:	lgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

reactivity is derived fr	Rat, Dog Horse, Pig vity and working conditi rom testing within our l	ions may vary between species aboratories, peer-reviewed pub ors. Please refer to references in
Reacts weakly with: N.B. Antibody reactive reactivity is derived from personal communication.	Horse, Pig vity and working conditi rom testing within our l	aboratories, peer-reviewed pub
N.B. Antibody reactive reactivity is derived from personal communication.	rity and working condition testing within our l	aboratories, peer-reviewed pub
reactivity is derived fr	rom testing within our l	aboratories, peer-reviewed pub
personal communica	ŭ	•
personal communica	ŭ	•
·	g	
Purified IgG conjugat	ted to Alexa Fluor 647	- liquid
Fluorophore	Excitation Max (nm)	Emission Max (nm)
Alexa Fluor®647	650	665
	Fluorophore Alexa Fluor®647	

Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin				
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml				
Immunogen	A polyclonal population of NK cells.				
External Database Links	UniProt:				
	P79107 Related reagents				
	P08637 Related reagents				
	O75015 Related reagents				
	Entrez Gene:				
	281766 FCGR3A Related reagents				
	2214 FCGR3A Related reagents				
	2215 FCGR3B Related reagents				
Synonyms	CD16A, CD16B, FCG3, FCGR3, FCGRIII, IGFR3				
Fusion Partners	Spleen cells from immunised mice were fused with cells of the P3U1 myeloma cell line.				
Specificity	Mouse anti Human CD16 antibody, clone KD1 recognizes human CD16, a 50-65 kDa cell surface molecule, which is the low affinity receptor for IgG (FcR III). CD16 exists as a transmembranous form (Fc gammaRIIIA, or CD16A) and a glycosyl phosphatidylinositol (GPI) anchored form (Fc gammaRIIIB, or CD16B). CD16A is expressed by NK cells, some T cells, and macrophages (Moretta et al. 1990), whereas CD16B is primarily expressed by granulocytes (Bonecchi et al. 1999). Clone KD1 recognizes both forms of CD16 and will therefore recognize all cell types expressing CD16. Mouse anti Human CD16, clone KD1 can be used to identify CD16 in a range of species				
	including bovine (<u>Boysen et al. 2010</u>) and ovine (<u>Elhmouzi-Younes et al. 2010</u>).				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul				
References	 Moretta, A. et al. (1989) CD16 surface molecules regulate the cytolytic function of CD3CD16+ human natural killer cells. <u>Int J Cancer. 44 (4): 727-30.</u> Ciccone, E. et al. (1990) Specific recognition of human CD3-CD16+ natural killer cells requires the expression of an autosomic recessive gene on target cells. <u>J Exp Med. 172 (1): 47-52.</u> Zocchi, M.R. et al. (1998) HIV-1 Tat inhibits human natural killer cell function by blocking L-type calcium channels. <u>J Immunol. 161: 2938-43.</u> Hernández-Caselles, T. et al. (2006) A study of CD33 (SIGLEC-3) antigen expression and function on activated human T and NK cells: two isoforms of CD33 are generated by 				

alternative splicing. <u>J Leukoc Biol. 79: 46-58.</u>

- 5. Boysen, P. *et al.* (2008) Natural killer cells in lymph nodes of healthy calves express CD16 and show both cytotoxic and cytokine-producing properties. <u>Dev Comp Immunol.</u> 32: 773-83.
- 6. Connelley, T. *et al.* (2011) NKp46 defines ovine cells that have characteristics corresponding to NK cells. <u>Vet Res. 42: 37.</u>
- 7. Gibson, A.J. *et al.* (2016) Differential macrophage function in Brown Swiss and Holstein Friesian cattle. <u>Vet Immunol Immunopathol.</u> 181: 15-23.
- 8. Pomeroy, B. *et al.* (2016) Longitudinal characterization of bovine monocyte-derived dendritic cells from mid-gestation into subsequent lactation reveals nadir in phenotypic maturation and macrophage-like cytokine profile in late gestation. <u>J Reprod Immunol. 118: 1-8.</u>
- 9. Elnaggar, M.M. *et al.* (2017) Identification of monoclonal antibodies cross-reactive with bottlenose dolphin orthologues of the major histocompatibility complex and leukocyte differentiation molecules. <u>Vet Immunol Immunopathol.</u> 192: 54-9.
- 10. Pomeroy, B. *et al.* (2017) Counts of bovine monocyte subsets prior to calving are predictive for postpartum occurrence of mastitis and metritis. Vet Res. 48 (1): 13.
- 11. Elnaggar, M.M. *et al.* (2019) Pattern of CD14, CD16, CD163 and CD172a expression on water buffalo (*Bubalus bubalis.*) leukocytes. <u>Vet Immunol Immunopathol. 211: 1-5.</u>
- 12. Liu, J. *et al.* (2020) *Theileria annulata*. transformation altered cell surface molecules expression and endocytic function of monocyte-derived dendritic cells. <u>Ticks Tick Borne</u> Dis. 11 (3): 101365.
- 13. Kolar, Q.K. *et al.* (2020) Anatomical distribution of respiratory tract leukocyte cell subsets in neonatal calves. Vet Immunol Immunopathol. 227: 110090.
- 14. Park, D.S. *et al.* (2021) Dynamic changes in blood immune cell composition and function in Holstein and Jersey steers in response to heat stress. <u>Cell Stress Chaperones</u>. 26 (4): 705-20.
- 15. Fiorenza, M.F. *et al.* (2021) Neutrophils recognize and amplify IFNT signals derived from day 7 bovine embryo for stimulation of ISGs expression *in vitro*.: A possible implication for the early maternal recognition of pregnancy. <u>Biochem Biophys Res Commun. 553: 37-43.</u>
- 16. Howell, A. *et al.* (2024) Resting and activated bovine neutrophils and eosinophils differ in their responses to adrenergic agonists. <u>Vet Immunol Immunopathol. 272: 110758.</u>
- 17. Hong, S. *et al.* (2024) Impact of an Injectable Trace Mineral Supplement on the Immune Response and Outcome of *Mannheimia haemolytica* Infection in Feedlot Cattle. Biol Trace Elem Res. Jun 10 [Epub ahead of print].
- 18. Scatà, C.M. *et al.* (2024) Characterization of Cellular Immune System at Different Ages in Water Buffalo (*Bubalus bubalis*) Journal of Buffalo Science. 13: 133-139.
- 19. Gilbert, F.B. *et al.* (2025) Expression of FcµR by bovine mononuclear blood leukocytes. <u>Dev Comp Immunol</u>. 162: 105304.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA5665A647
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 (MCA929A647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 $\textbf{Product inquiries:} \ \underline{\textbf{www.bio-rad-antibodies.com/technical-support}}$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M437664:250318'

Printed on 15 Aug 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint