

Datasheet: MCA5669 BATCH NUMBER 100311R

Description:	MOUSE ANTI HUMAN CD15	
Specificity:	CD15	
Other names:	LEWIS X	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	MCS-1	
Isotype:	lgG3	
Quantity:	0.2 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen			•	
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin
Approx. Protein	IgG concentration 0.1mg/ml

Concentrations

RRID	AB_10672021
Specificity	Mouse anti Human CD15 antibody, clone MCS-1 recognizes human CD15, otherwise known as Lewis X and stage-specfic embryonic antigen-1 (SSEA-1). The CD15 antigen is itself a terminal trisaccharide, Gal-beta1-4 (Fuc-alpha1-3) GlcNAc (3-FAL), which is found on a variety of glycoproteins and glycolipids. CD15 is predominately expressed by peripheral blood granulocytes and various epithelial tissues. It plays an important role in cell adhesion and has been used as a marker for diagnosis of Hodgkin's lymphoma.
Flow Cytometry	Use 20ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	1. Oxford University Press. (1998) . Leucocyte Typing IV. p798-810.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA5669 10041
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

Worldwide

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Fax: +1 919 878 3751

 ${\bf Email: antibody_sales_us@bio-rad.com}$

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739

 $\textbf{Email: antibody_sales_uk@bio-rad.com}$

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint