

Datasheet: MCA5700F

Description:	RAT ANTI MOUSE CLEC2:FITC
Specificity:	CLEC2
Other names:	CLEC1B
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	17D9
Isotype:	IgG2b
Quantity:	0.1 mg

Product Details

RRID AB_11152598

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species Mouse

Product Form Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525

Preparation Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution Phosphate buffered saline

Preservative 0.09% Sodium Azide (NaN₃)
Stabilisers 1% Bovine Serum Albumin

Approx. Protein IgG concentration 0.1mg/ml

Concentrations

Immunogen RBL-2H3 cells stably expressing HA-tagged mouse CLEC2.

External Database Links

UniProt:

[Q9JL99](#) [Related reagents](#)

Entrez Gene:

[56760](#) Clec1b [Related reagents](#)

Synonyms Clec2

Fusion Partners Spleen cells from immunised Wistar rats were fused with cells of the rat Y3 myeloma cell line.

Specificity **Rat anti Mouse CLEC2 antibody, clone 17D9** recognizes mouse C-type lectin domain family 1 member B, also known as CLEC2 or CLEC1B. CLEC2 acts as a receptor for rhodocytin, a platelet-aggregating protein found in snake venom. CLEC2 expression is not restricted to platelets and also acts as an activation receptor on neutrophils.

Flow Cytometry Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References

1. Mourão-sá, D. *et al.* (2011) CLEC-2 signaling via Syk in myeloid cells can regulate inflammatory responses. [Eur J Immunol. 41 \(10\): 3040-53.](#)
2. Mori, J. *et al.* (2012) Dominant role of the protein-tyrosine phosphatase CD148 in regulating platelet activation relative to protein-tyrosine phosphatase-1B. [Arterioscler Thromb Vasc Biol. 32 \(12\): 2956-65.](#)
3. Lowe, K.L. *et al.* (2015) The expression of mouse CLEC-2 on leucocyte subsets varies according to their anatomical location and inflammatory state. [Eur J Immunol. 45 \(9\): 2484-93.](#)
4. Nakamura-Ishizu A *et al.* (2015) CLEC-2 in megakaryocytes is critical for maintenance of hematopoietic stem cells in the bone marrow. [J Exp Med. 212\(12\):2133-46.](#)
5. Meinders, M. *et al.* (2016) Repercussion of Megakaryocyte-Specific Gata1 Loss on Megakaryopoiesis and the Hematopoietic Precursor Compartment. [PLoS One. 11 \(5\): e0154342.](#)

Further Reading

1. Kerrigan, A.M. *et al.* (2009) CLEC-2 is a phagocytic activation receptor expressed on murine peripheral blood neutrophils. [J Immunol. 182 \(7\): 4150-7.](#)

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

This product is photosensitive and should be protected from light.

Guarantee

18 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10041 available at: 10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M345292:190125'

Printed on 20 May 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)