Datasheet: MCA5764 BATCH NUMBER 150541

Description:	MOUSE ANTI CHICKEN Bu-1a/b
Specificity:	Bu-1a/b
Other names:	BURSAL ANTIGEN 1 A/B
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AV20
Isotype:	lgG1
Quantity:	0.25 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	-				
	Immunohistology - Frozen	-				
	Immunohistology - Paraffin			-		
	ELISA					
	Immunoprecipitation	-				
	Western Blotting					
	Functional Assays					
	Where this product has n	ere this product has not been tested for use in a particular technique this does not essarily exclude its use in such procedures. Suggested working dilutions are given				
	necessarily exclude its us					
	a quide only. It is recomn	guide only. It is recommended that the user titrates the product for use in their ow				
	system using appropriate			•		
Target Species	Chicken					
Species Cross Reactivity	Does not react with:Quail, Turkey, Guinea Fowl					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	ion excha	ange chro	matography from tissu	e culture supernatant	

Buffer Solution Borate buffered saline

Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)			
Approx. Protein Concentrations	IgG concentration 0.5mg/ml			
Immunogen	Bursal cells from day old H.B15 (Bu-1a/b) chickens.			
External Database Links	UniProt:Q90747Related reagentsQ90746Related reagents			
RRID	AB_10720221			
Specificity	Mouse anti ChickenBu-1a/b antibody, clone AV20 recognizes Chicken Bu-1a/b, also known as chB6, a type 1 transmembrane protein.			
	Bu-1 is a product of two alleles, Bu-1a ad Bu-1b, clone AV20 recognises both alleles. The Bu-1 antigen is expressed by chicken B-cells throughout most of their development and by a subset of monocytes and macrophages. The antigen is absent from erythrocytes, granulocytes and thrombocytes. In addition to clone AV20, <u>clone L22</u> that recognises Bu-1a but not Bu-1b is available.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.			
References	 Igyár;rtó BZ <i>et al.</i> (2008) Identification of the avian B-cell-specific Bu-1 alloantigen by a novel monoclonal antibody. Poult Sci. 87 (2): 351-5. Balic, A. <i>et al.</i> (2014) Visualisation of chicken macrophages using transgenic reporter genes: insights into the development of the avian macrophage lineage. Development. 141: 3255-65. Schermuly, J. <i>et al.</i> (2015) <i>In vitro</i> model for lytic replication, latency, and transformation of an oncogenic alphaherpesvirus. Proc Natl Acad Sci U S A. 112 (23): 7279-84. Tregaskes, C.A. <i>et al.</i> (2005) Conservation of biological properties of the CD40 ligand, CD154 in a non-mammalian vertebrate. Dev Comp Immunol. 29 (4): 361-74. Tregaskes, C.A. <i>et al.</i> (1996) Chicken B-cell marker chB6 (Bu-1) is a highly glycosylated protein of unique structure. Immunogenetics. 44 (3): 212-7. Baigent, S. J. & Davison, T. F. (1999) Development and composition of lymphoid lesions in the spleens of Marek's disease virus-infected chickens: Association with virus spread and the pathogenesis of Marek's disease Avian Pathology. 28 (3): 287-300. Barrow, A.D. <i>et al.</i> (2012) Comprehensive analysis of commercially available mouse antichicken monoclonal antibodies for cross-reactivity with peripheral blood leukocytes from commercial turkeys. Poult Sci. 91 (2): 383-92. Rothwell, C.J. <i>et al.</i> (1996) Identification of chicken Bu-1 alloantigens using the monoclonal antibody AV20. Vet Immunol Immunopathol. 55 (1-3): 225-34. Sadeyen, J.R. <i>et al.</i> (2015) A cyclophosphamide-sensitive cell compartment is 			

	essential for homologous protection conferred by licensed vaccines for the control of avian pathogenic Escherichia coli in chickens. <u>Vaccine. 33 (31): 3624-7.</u>		
Storage	Store at +4ºC or at -20ºC if preferred. Storage in frost-free freezers is not recommended.		
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: https://www.bio-rad-antibodies.com/SDS/MCA5764 10077		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Goat Anti Mouse IgG (H/L) (STAR117) <u>FITC, HRP</u>
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-	rad.com	Email: antibody_sales_uk@bio-	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets M368368:200529'

Printed on 23 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint