

Datasheet: MCA5779

Description:	MOUSE ANTI BOVINE CD28
Specificity:	CD28
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CC219
lsotype:	lgG1
Quantity:	0.25 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	•	information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	l-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	•			1/25 - 1/200			
	Immunohistology - Frozen							
	Immunohistology - Paraffin							
	ELISA							
	Immunoprecipitation			•				
	Western Blotting			•				
	Where this antibody has	not been	tested for	use in a particular tec	hnique this does not			
	necessarily exclude its us	se in such	procedui	res. Suggested workin	g dilutions are given as			
	a guide only. It is recomm system using appropriate				for use in their own			
Target Species	Bovine							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared by affinity chromatography on Protein A							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide							
Approx. Protein Concentrations	IgG concentration 1.0 mg							

Immunogen	Plasmid DNA encoding the bovine CD28 gene			
External Database Links	UniProt: <u>Q28071</u> <u>Related reagents</u> Entrez Gene: <u>281050</u> CD28 <u>Related reagents</u>			
RRID	AB_11152945			
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the SP/2/0 myeloma cell line			
Specificity	Mouse anti Bovine CD28, clone CC219 , recognizes the bovine homologue of human CD28, a co-stimulatory cell surface molecule expressed by T cell subsets. CD28 is the receptor for CD80 (B7.1) and CD86 (B7.2). CD28 is involved in increased production of IL-4 and IL-10 in T cells.			
	Mouse anti Bovine CD28, clone CC219 is able to stimulate bovine T cells in combination with anti-bovine CD3. For functional studies it is recommended to use the low endotoxin and preservative free format of this antibody, <u>MCA5779EL</u> .			
	Mouse anti Bovine CD28, clone CC219 has previously been published under the alternative clone designation F848EC4 (<u>Hogg <i>et al.</i> 2011</u>).			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.			
References	 Hogg, A.E. <i>et al.</i> (2011) Characterization of age-related changes in bovine CD8+ T-cells. <u>Vet Immunol Immunopathol. 140 (1-2): 47-54.</u> Palomo, F.R. (2015) Study of the Effects Caused by BVDV and BHV-1 on Antigen- Presenting Cells by Means of <i>In Vivo</i> and <i>In Vitro</i> Experimental Models. <u>Tesis Doctoral,</u> <u>Facultad de Veterinaria, Universidad de Córdoba</u> 			
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	18 months from date of despatch.			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

	,,
Goat Anti Mouse IgG (STAR77)	HRP
Rabbit Anti Mouse IgG (STAR12)	RPE
Rabbit Anti Mouse IgG (STAR8)	DyLight®800
Rabbit Anti Mouse IgG (STAR13)	HRP
Goat Anti Mouse IgG (STAR76)	RPE
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC</u> , <u>HRP</u>
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®680,
	DyLight®800, FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50		
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com		
From March 15, 2021, we will no longer supply printed datasheets with our products.							

Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M348218:190218'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint