

Datasheet: MCA5779EL

BATCH NUMBER 161335

Description:	MOUSE ANTI BOVINE CD28:Low Endotoxin
Specificity:	CD28
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	CC219
Isotype:	IgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/200
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays	▪			5ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present.
Carrier Free	Yes
Endotoxin Level	< 0.01 EU/ug

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Plasmid DNA encoding the bovine CD28 gene
External Database Links	<p>UniProt: Q28071 Related reagents</p> <p>Entrez Gene: 281050 CD28 Related reagents</p>
RRID	AB_11152767
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the SP/2/0 myeloma cell line
Specificity	<p>Mouse anti Bovine CD28, clone CC219, recognizes the bovine homologue of human CD28, a co-stimulatory cell surface molecule expressed by T cell subsets. CD28 is the receptor for CD80 (B7.1) and CD86 (B7.2). CD28 is involved in increased production of IL-4 and IL-10 in T cells.</p> <p>Mouse anti Bovine CD28, clone CC219 is able to stimulate bovine T cells in combination with anti-bovine CD3. For functional studies it is recommended to use the low endotoxin and preservative free format of this antibody, MCA5779EL.</p> <p>Mouse anti Bovine CD28, clone CC219 has previously been published under the alternative clone designation F848EC4 (Hogg et al. 2011).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Hogg, A.E. <i>et al.</i> (2011) Characterization of age-related changes in bovine CD8+ T-cells. Vet Immunol Immunopathol. 140 (1-2): 47-54. Palomo, F.R. (2015) Study of the Effects Caused by BVDV and BHV-1 on Antigen-Presenting Cells by Means of <i>In Vivo</i> and <i>In Vitro</i> Experimental Models. Tesis Doctoral, Facultad de Veterinaria, Universidad de Córdoba Risalde, M.A. <i>et al.</i> (2020) BVDV permissiveness and lack of expression of co-stimulatory molecules on PBMCs from calves pre-infected with BVDV. Comp Immunol Microbiol Infect Dis. 68: 101388.
Storage	<p>Store at -20°C only.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #10040 available at:

Information <https://www.bio-rad-antibodies.com/SDS/MCA5779EL>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@550](#),
[DyLight@650](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin \(MCA928EL\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M368382:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)