

Datasheet: MCA5779F BATCH NUMBER 0411R

Description:	MOUSE ANTI BOVINE CD28:FITC
Specificity:	CD28
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	CC219
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Bovine					
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1					
lax Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	FITC	490	525			
eparation	Purified IgG prepared	ared by affinity chromatog	raphy on Protein A			
er Solution	Phosphate buffer	Phosphate buffered saline				
eservative	0.09% Sodium Az	zide (NaN ₃)				
bilisers	1% Bovine Serun	n Albumin				
oprox. Protein oncentrations	lg concentration (0.1mg/ml				
munogen	Plasmid DNA end	coding the bovine CD28 ge	ene			

External Database	UniProt:					
Links	Q28071 Related reagents					
	Entrez Gene:					
	281050 CD28 Related reagents					
RRID	AB_11152604					
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the SP/2/0 myeloma cel line					
Specificity	Mouse anti Bovine CD28, clone CC219 , recognizes the bovine homologue of human CD28, a co-stimulatory cell surface molecule expressed by T cell subsets. CD28 is the receptor for CD80 (B7.1) and CD86 (B7.2). CD28 is involved in increased production of IL-4 and IL-10 in T cells.					
	Mouse anti Bovine CD28, clone CC219 is able to stimulate bovine T cells in combination with anti-bovine CD3. For functional studies it is recommended to use the low endotoxin and preservative free format of this antibody, MCA5779EL .					
	Mouse anti Bovine CD28, clone CC219 has previously been published under the alternative clone designation F848EC4 (<u>Hogg et al. 2011</u>).					
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.					
References	 Hogg, A.E. et al. (2011) Characterization of age-related changes in bovine CD8+ T-cells. <u>Vet Immunol Immunopathol. 140 (1-2): 47-54.</u> Palomo, F.R. (2015) Study of the Effects Caused by BVDV and BHV-1 on Antigen- Presenting Cells by Means of <i>In Vivo</i> and <i>In Vitro</i> Experimental Models. <u>Tesis Doctoral,</u> Facultad de Veterinaria, Universidad de Córdoba 					
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA5779F 10041					
Regulatory	For research purposes only					

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368383:200529'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint