

Datasheet: MCA5781GA

### **BATCH NUMBER 162016**

Description:	MOUSE ANTI HUMAN ACTIN ALPHA (SMOOTH MUSCLE)		
Specificity:	ACTIN ALPHA (SMOOTH MUSCLE)		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	1A4		
Isotype:	lgG2a		
Quantity:	0.1 mg		

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen	•			1/50 - 1/100
Immunohistology - Paraffin (1)	•			
ELISA	•			
Immunoprecipitation			•	
Western Blotting	•			
Immunofluorescence	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Pig, Rabbit, Rat, Mouse, Sheep  N.B. Antibody reactivity and working conditions may vary between spec
	in 21, and beautify and tremming contained in any vary between epo

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form	Purified IgG - liquid
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1 mg/ml
lmmunogen	Acetylated N-terminal synthetic decapeptide of alpha smooth muscle actin coupled to KLH.
External Database Links	UniProt: P62736 Related reagents  Entrez Gene: 59 ACTA2 Related reagents
Synonyms	ACTSA, ACTVS
Specificity	Mouse anti human actin alpha (smooth muscle) antibody, clone 1A4 recognises alpha smooth muscle actin. Actins are highly conserved proteins that play a role in cell contractile activity, motility, cytokinesis, and in maintaining cell structure. Alpha smooth muscle actin is expressed in vascular smooth muscle, myofibroblasts and myoepithelial cells and also in tumours derived from these cells.
Histology Positive Control Tissue	Smooth muscle in vessels
References	1. Skalli, O. <i>et al.</i> (1986) A monoclonal antibody against alpha-smooth muscle actin: a new probe for smooth muscle differentiation. <u>J Cell Biol.</u> 103 (6 Pt 2): 2787-96.  2. Darby, I. <i>et al.</i> (1990) Alpha-smooth muscle actin is transiently expressed by myofibroblasts during experimental wound healing. <u>Lab Invest.</u> 63: 21-29  3. Desmoulière, A. <i>et al.</i> (1993) Transforming growth factor-beta 1 induces alpha-smooth muscle actin expression in granulation tissue myofibroblasts and in quiescent and growing cultured fibroblasts. <u>J Cell Biol.</u> 122 (1): 103-11.  4. Hinz, B. <i>et al.</i> (2001) Alpha-smooth muscle actin expression upregulates fibroblast contractile activity. <u>Mol Biol Cell.</u> 12 (9): 2730-41.  5. Hinz, B. <i>et al.</i> (2002) The NH2-terminal peptide of alpha-smooth muscle actin inhibits force generation by the myofibroblast in vitro and in vivo. <u>J Cell Biol.</u> 157 (4): 657-63.  6. Shin, M.O. <i>et al.</i> (2010) Effect of dietary supplementation of grape skin and seeds on liver fibrosis induced by dimethylnitrosamine in rats. <u>Nutr Res Pract.</u> 4: 369-74.  7. Brisset, A.C. <i>et al.</i> (2007) Intimal smooth muscle cells of porcine and human coronary artery express S100A4, a marker of the rhomboid phenotype <i>in vitro</i> . <u>Circ Res.</u> 100: 1055-62.

- 8. Chaponnier, C. & Gabbiani, G. (2016) Monoclonal antibodies against muscle actin isoforms: epitope identification and analysis of isoform expression by immunoblot and immunostaining in normal and regenerating skeletal muscle. F1000Res. 5: 416.
- 9. Stammler, A. *et al.* (2015) Epididymitis: ascending infection restricted by segmental boundaries. <u>Hum Reprod. 30 (7): 1557-65.</u>
- 10. Sievers, H. *et al.* (2020) Pododermal angioarchitecture in the equine hoof wall: A light and scanning electron microscopic study of the wall proper. <u>Clin Hemorheol Microcirc. 74</u> (1): 21-44.
- 11. Zheng, Z. *et al.* (2022) *In Vivo.* Inhibition of TRPC6 by SH045 Attenuates Renal Fibrosis in a New Zealand Obese (NZO) Mouse Model of Metabolic Syndrome. <u>Int J Mol Sci. 23 (12)</u>: 6870.

#### **Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA5781GA">https://www.bio-rad-antibodies.com/SDS/MCA5781GA</a> 10040			
Regulatory	For research purposes only			

## Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) <u>FITC</u>
Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

# Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint