

Datasheet: MCA5782EL

BATCH NUMBER 160978

Description:	MOUSE ANTI HUMAN SIGLEC-7:Low Endotoxin
Specificity:	SIGLEC-7
Other names:	CD328
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	S7.7
Isotype:	IgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation	▪			
Western Blotting	▪			
Functional Assays	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	<p>Reacts with: Rhesus Monkey</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Carrier Free	Yes
Endotoxin Level	< 0.01 EU/ug
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Siglec-7 3T3 transfected cells.
External Database Links	<p>UniProt: Q9Y286 Related reagents</p> <p>Entrez Gene: 27036 SIGLEC7 Related reagents</p>
Synonyms	AIRM1
Fusion Partners	Spleen cells from immunized Balb/c mice, were fused with cells of the Sp2/0 myeloma cell line.
Specificity	<p>Mouse anti Human Siglec-7 antibody, cloneS7.7 recognizes human Sialic acid-binding Ig-like lectin 7, otherwise known as CD328, a putative adhesion molecule and member of the Ig superfamily, predominantly expressed by both resting and activated natural killer (NK) cells, and also at lower levels by monocytes, granulocytes, monocyte-derived macrophages and dendritic cells, and a small population of CD8+ memory T cells.</p> <p>Classed as a CD33-related Siglec, Siglec-7 preferentially binds to glycoconjugates containing alpha-2,3- or alpha-2,6-linked sialic acid, and acts as a novel inhibitory receptor for NK cells, mediating the inhibition of NK cell cytotoxicity, and implicated in the regulation of NK cell and T cell activation, and hematopoiesis.</p> <p>Mouse anti Human Siglec-7 antibody, cloneS7.7 is a blocking antibody (Avril et al. 2006), and has been shown to recognize Siglec-7 in Rhesus monkey (Jaroenpool et al. 2007).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells.
Western Blotting	MCA5782EL detects a band of approximately 65kDa using Siglec-7 transfected CHO cells see Nicoll, G. et al. for details.
References	1. Nicoll, G. <i>et al.</i> (1999) Identification and characterization of a novel siglec, siglec-7,

- expressed by human natural killer cells and monocytes. [J Biol Chem. 274 \(48\): 34089-95.](#)
2. Nguyen, D.H. *et al.* (2006) Loss of Siglec expression on T lymphocytes during human evolution. [Proc Natl Acad Sci U S A. 103 \(20\): 7765-70.](#)
3. Avril T *et al.* (2006) Sialic acid-binding immunoglobulin-like lectin 7 mediates selective recognition of sialylated glycans expressed on *Campylobacter jejuni* lipooligosaccharides. [Infect Immun. 74 \(7\): 4133-41.](#)
4. Jaroenpool, J. *et al.* (2007) Differences in the constitutive and SIV infection induced expression of Siglecs by hematopoietic cells from non-human primates. [Cell Immunol. 250 \(1-2\): 91-104.](#)

Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/MCA5782EL 10162
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG (STAR77...)	HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin \(MCA928EL\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M368389:200529'

