

Datasheet: MCA5788GA

BATCH NUMBER 164623

Description:	RAT ANTI MOUSE TIM-1
Specificity:	TIM-1
Other names:	CD365, T-CELL IMMUNOGLOBULIN MUCIN 1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RMT1-10
Isotype:	lgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/25 - 1/200
Immunohistology - Frozen				
Immunohistology - Paraffin			•	
ELISA				
Immunoprecipitation				
Western Blotting			•	
Immunofluorescence				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN ₃)

Stabilisers

0			
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1 mg/ml		
Immunogen	Full-length mouse Tim-1-lg, containing both the IgV and mucin domains of Tim-1.		
External Database Links	UniProt: Q5QNS5 Related reagents Entrez Gene: 171283 Havcr1 Related reagents		
Synonyms	Kim1, Tim1, Timd1		
- Cynonyms	Killi, Illiii, Illiidi		
Fusion Partners	Lymph node cells from immunized SD rats were fused with cells of the P3U1 myeloma cell line.		
Specificity	Rat anti Mouse TIM-1 antibody, clone RMT1-10 recognizes mouse Tim-1 (T-cell immunoglobulin mucin 1), a cell surface glycoprotein first identified as the hepatitis A virus cellular receptor (HAVCR). TIM-1 is highly expressed in the liver (isoform Tim-1a) and the kidneys (isoform Tim-1b).		
	Tim-1 is highly expressed by activated CD4+ T cells, acting as a positive/negative co-stimulatory molecule of T cell proliferation, cytokine production and tolerance abrogation, and is the receptor for Tim-4, expressed on APCs. Tim-1 expression is greater on Th2 than Th1 cells, interaction between Tim-1 on Th2 cells and Tim-4 on dendritic cells (DCs), enhances Th2 cell function, and have implicated Tim-1 as a critical player in the development of atopic disease, and in particular airway hypersensitivity.		
	In humans, polymorphic forms of Tim-1 are associated with increased susceptibility to asthma, eczema and rheumatoid arthritis (Rodriguez-Manzanet et al. 2009).		
	Rat anti Mouse TIM-1 antibody, clone RMT1-10 promotes Th2 responses, and inhibits antigen-specific T cell proliferation, in contrast to the agonistic function of many Tim-1 antibodies (Xiao et al. 2007). Rat anti Mouse TIM-1 antibody, clone RMT1-10 reduces the severity of experimental autoimmune encephalomyelitis and delays disease onset in mice (Xiao et al. 2007).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Fukushima, A. <i>et al.</i> (2007) Antibodies to T-cell Ig and mucin domain-containing proteins (Tim)-1 and -3 suppress the induction and progression of murine allergic conjunctivitis. <u>Biochem Biophys Res Commun. 353: 211-6.</u> Ueno, T. <i>et al.</i> (2008) The emerging role of T cell Ig mucin 1 in alloimmune responses in an experimental mouse transplant model. <u>J Clin Invest. 118: 742-51.</u> 		

- 3. Yuan, X. *et al.* (2009) Targeting Tim-1 to overcome resistance to transplantation tolerance mediated by CD8 T17 cells. Proc Natl Acad Sci U S A. 106 (26): 10734-9.
- 4. Rong, S. *et al.* (2011) The TIM-1:TIM-4 pathway enhances renal ischemia-reperfusion injury. J Am Soc Nephrol. 22: 484-95.
- 5. Arai, S. *et al.* (2016) Apoptosis inhibitor of macrophage protein enhances intraluminal debris clearance and ameliorates acute kidney injury in mice. <u>Nat Med. 22 (2): 183-93.</u>
- 6. Chen, W.Y. *et al.* (2019) Human dendritic cell-specific ICAM-3-grabbing non-integrin downstream signaling alleviates renal fibrosis via Raf-1 activation in systemic candidiasis. Cell Mol Immunol. 16 (3): 288-301.

Further Reading

1. Freeman, G.J. *et al.* (2010) TIM genes: a family of cell surface phosphatidylserine receptors that regulate innate and adaptive immunity. <u>Immunol Rev. 235 (1): 172-89.</u>

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA5788GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Recommended Negative Controls

RAT IgG2a NEGATIVE CONTROL (MCA1212)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M416271:230222'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint