

Datasheet: MCA5789EL

Description:	RAT ANTI MOUSE TIM-2:Low Endotoxin
Specificity:	TIM-2
Other names:	T-CELL IMMUNOGLOBULIN MUCIN 2
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	RMT2-25
Isotype:	lgG2a
Quantity:	0.5 mg

#### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	<b>Suggested Dilution</b>
Flow Cytometry	•			1/25 - 1/200
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation	-			
Western Blotting	•			
Functional Assays				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein (supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	None present	

Carrier Free	Yes
Endotoxin Level	<0.01EU/ug
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Tim-2-Ig, consisting of amino acids 1-230 of mouse Tim-2, coupled with the Fc portion of mouse IgG2a.
External Database Links	UniProt:  Q8R183 Related reagents  Entrez Gene:  171284 Timd2 Related reagents
Synonyms	Tim2
Fusion Partners	Lymph node cells from immunised Sprague Dawley rats were fused with cells of the P3U1 myeloma cell line.
Specificity	Rat anti Mouse TIM-2 antibody, clone RMT2-25 recognizes mouse Tim-2 (T-cell immunoglobulin mucin 2), a transmembrane glycoprotein and member of the immunoglobulin superfamily, expressed by activated lymphocytes, developmentally in the 8-cell embryo and blastocyst, and preferentially up-regulated in Th2 cells and down-regulated in Th1 cells.  Tim-2 acts as a negative regulator of Th2 cells, and is implicated to play a critical role in
	the development of atopic disease and other Th2-biased immune responses. Tim-2 also acts as a receptor for Semaphorin 4A, a transmembrane protein expressed on dendritic cells and B cells, which plays a role in the guidance of axonal migration during neuronal development, and has been shown to enhance T cell activation.
	Studies using Rat anti Mouse TIM-2 antibody, clone RMT2-25 in mouse, have shown that signaling by Tim-2 can influence the proliferation and antibody production of B cells, during early phase collagen-induced arthritis ( <a href="Kawamoto et al. 2011">Kawamoto et al. 2011</a> ).
	Rat anti Mouse TIM-2 antibody, clone RMT2-25 has been shown to significantly enhance the proliferation of stimulated splenic B cells <i>in vitro</i> ( <u>Kawamoto <i>et al.</i> 2011</u> ).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
Western Blotting	Clone RMT2-25 recognises a band of approximately 55kDa in Tim-2/L5178Y cells under non-reducing conditions.
References	1. Kawamoto, T. <i>et al.</i> (2011) Anti-T cell immunoglobulin and mucin domain-2 monoclonal antibody exacerbates collagen-induced arthritis by stimulating B cells. <u>Arthritis Res. Ther.</u> 13: R47

Further Reading	1. Freeman, G.J. <i>et al.</i> (2010) TIM genes: a family of cell surface phosphatidylserine receptors that regulate innate and adaptive immunity. <u>Immunol Rev. 235 (1): 172-89.</u>
Storage	Store at -20°C only.
	Storage in frost-free freezers is not recommended.
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</a>
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR17...) <u>FITC</u>
Goat Anti Rat IgG (STAR69...) <u>FITC</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR73...)

Rabbit Anti Rat IgG (STAR21...)

HRP

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®800</u>

Goat Anti Rat IgG (STAR72...) HRP

# **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL:Low Endotoxin (MCA1212EL)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M334996:181203'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint