

Datasheet: MCA5790PE

Description:	RAT ANTI MOUSE TIM-3:RPE
Specificity:	TIM-3
Other names:	T-CELL IMMUNOGLOBULIN MUCIN 3
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	RMT3-23
Isotype:	IgG2a
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
Reconstitution	Reconstitute with 1ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin 5% Sucrose		
Immunogen	Tim-3-Ig, consisting of amino acids 1-191 of mouse Tim-3, coupled with the Fc portion of mouse IgG2a.		
External Database Links	UniProt:		
	Q8VIM0	Related reagents	

Entrez Gene:

[171285](#) Havcr2 [Related reagents](#)

Synonyms	Tim3, Timd3
-----------------	-------------

Fusion Partners	Lymph node cells from immunised SD rats were fused with cells of the P3U1 myeloma cell line.
------------------------	--

Specificity	<p>Rat anti Mouse Tim-3 antibody, clone RMT3-23 recognizes mouse T-cell immunoglobulin mucin 3, a transmembrane glycoprotein and member of the immunoglobulin superfamily, preferentially expressed by differentiated CD4+ Th1 cells and CD8+ Tc1 (cytotoxic) cells, but not by CD4+ Th2 cells or CD8+ Tc2 cells.</p> <p>Tim-3 acts as a negative regulator of Th1-mediated inflammatory diseases including GVHD, type I diabetes, and EAE (experimental autoimmune encephalomyelitis), promotes immunological tolerance, and is a receptor for galectin-9, shown to induce cell death of Th1 cells <i>in vitro</i>. Tim-3 is also involved in the regulation of macrophage activation, acts as a phagocytic receptor, and has been shown to recognize apoptotic cells via the IgV domain.</p> <p>Rat anti Mouse Tim-3 antibody, clone RMT3-23 significantly inhibits the efficient phagocytosis of apoptotic cells by peritoneal exudate Mac1+ cells (Nakayama et al. 2009).</p>
--------------------	--

Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
-----------------------	---

References	<ol style="list-style-type: none">1. Oikawa, T. <i>et al.</i> (2006) Preferential involvement of Tim-3 in the regulation of hepatic CD8+ T cells in murine acute graft-versus-host disease. J Immunol. 177 (7): 4281-7.2. Nakayama, M. <i>et al.</i> (2009) Tim-3 mediates phagocytosis of apoptotic cells and cross-presentation. Blood. 113 (16): 3821-30.
-------------------	---

Further Reading	<ol style="list-style-type: none">1. Freeman, G.J. <i>et al.</i> (2010) TIM genes: a family of cell surface phosphatidylserine receptors that regulate innate and adaptive immunity. Immunol Rev. 235 (1): 172-89.
------------------------	--

Storage	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at +4°C.</p> <p>DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
----------------	---

Shelf Life	12 months from date of reconstitution.
-------------------	--

Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL:RPE \(MCA1212PE\)](#)

Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M324762:180727'

Printed on 18 Sep 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)