

Datasheet: MCA5801G

BATCH NUMBER 1015

| Description: | MOUSE ANTI CORTISOL | |
|---------------|---------------------|--|
| Specificity: | CORTISOL | |
| Format: | Purified | |
| Product Type: | Monoclonal Antibody | |
| Clone: | 137.5A12F | |
| Isotype: | lgG1 | |
| Quantity: | 1 mg | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | | |
| Immunohistology - Frozen | | | | |
| Immunohistology - Paraffin | | | | |
| ELISA | | | | 1/1000 - 1/10000 |
| Immunoprecipitation | | | | |
| Western Blotting | | | | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Human | |
|-----------------------------|---|-----------------------|
| Product Form | Purified IgG - liquid | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A supernatant | A from tissue culture |
| Buffer Solution | Phosphate buffered saline | |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) | |
| Carrier Free | Yes | |

| Approx. Protein Concentrations | IgG concentration 1.0mg/ml | | | | |
|----------------------------------|---|-------------------------------|-------------------------|--|--|
| Immunogen | | | | | |
| RRID | RID AB_11203402 | | | | |
| Specificity | Mouse anti cortisol antibody, clone hormone involved in responses to stre | · • | tisol, a glucocorticoid | | |
| | Cross reactivity was determined by coguidelines. | ompetitive ELISA according | ng to CLSI EP07A2 | | |
| | Amount of Prednisone added | Cross reactivity | | | |
| | 36,040 ng/mL | 0.05% | | | |
| | 3,604 ng/mL | 0.4% | | | |
| | 360 ng/mL | 0.8% | | | |
| | 36 ng/mL | 1.6% | | | |
| | Amount of Prednisolone added | Cross reactivity | | | |
| | 36,040 ng/mL | 0.0% | | | |
| | 3,604 ng/mL | 0.2% | | | |
| | 360 ng/mL | 0.04% | | | |
| | 36 ng/mL | 4.0% | | | |
| Storage | Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may | | | | |
| | denature the antibody. Should this promicrocentrifugation before use. | oduct contain a precipitate w | e recommend | | |
| Guarantee | 12 months from date of despatch | | | | |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA5801G 10040 | | | | |
| Regulatory | For research purposes only | | | | |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)

RPE
Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368416:200529'

Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint