

## Datasheet: MCA5807G BATCH NUMBER 166524

Description:	MOUSE ANTI HUMAN THYROGLOBULIN
Specificity:	THYROGLOBULIN
Other names:	Тд
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	56.7D7
Isotype:	lgG1
Quantity:	1 mg

# **Product Details**

Stabilisers

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal						
		communications from the originators. Please refer to references indicated for further					
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen						
	Immunohistology - Paraffin						
	ELISA	-			1/10000 - 1/100000		
	Immunoprecipitation			•			
	Western Blotting			•			
	a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
	<b>o</b> ,			er titrates the product	ig dilutions are given a for use in their own		
Target Species	<b>o</b> ,			er titrates the product	•		
	system using appropriate			er titrates the product	•		
Target Species Product Form Preparation	system using appropriate	e negative	e/positive	er titrates the product to	for use in their own		
Product Form	system using appropriate Human Purified IgG - liquid Purified IgG prepared by	e negative affinity cl	e/positive	er titrates the product to	for use in their own		

0.09% Sodium Azide (NaN<sub>3</sub>)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
External Database Links	UniProt: <u>P01266</u> <u>Related reagents</u> Entrez Gene: <u>7038</u> TG <u>Related reagents</u>
Specificity	<b>Mouse anti Human Tg, Clone 56.7D7</b> recognizes human thyroglobulin, a ~660 kDa homodimer produced by the thyroid gland, specifically in the thyrocytes, and stored within the follicular lumen. Thyroglobulin is the precursor of the iodated thyroid hormones thyroxine (T4) and triiodothyronine (T3). These hormones affect protein, fat and carbohydrate metabolism. Defects in thyroglobulin production can lead to goiter, and increased susceptibility to autoimmune thyroid type 3 diseases, such as Graves disease and Hashimoto thyroiditis.
	Mouse anti Human Tg, Clone 56.7D7 shows negligible cross reactivity (<0.01%) with human serum albumin, human immunoglobulin, T3 and T4.
A	
Activity	1 x 10 <sup>11</sup> L/mole
Storage	1 x 10 <sup>11</sup> L/mole This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

# **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77)	HRP
Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Rabbit Anti Mouse IgG (STAR8)	DyLight®800
Goat Anti Mouse IgG (STAR76)	<u>RPE</u>
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>

Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>						
Rabbit A	nti Mouse IgG (STAR13)	HR	<u>.P</u>			
Goat Ant	i Mouse IgG (STAR70)	FIT	<u>.</u>			
Rabbit A	nti Mouse IgG (STAR9)	FIT	<u>.</u>			
Goat Ant	i Mouse IgG (H/L) (STAR117)	<u>Alk</u>	<u>. Phos., DyLight®488,</u> [	DyLight®550		
		Dy	Light®650, DyLight®68	0, <u>DyLight®8</u>	<u>00,</u>	
		<u>FIT</u>	<u>C, HRP</u>			
Recomm	nended Negative Controls					
MOUSE IgG1 NEGATIVE CONTROL (MCA928)						
North & South	Tel: +1 800 265 7376 Worldwi	de	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bic	-rad.com	Email: antibody_sales_de@bio-rad.com	
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381255:210512'						
			Drinted on 40 Jan 2024			

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint