

# Datasheet: MCA5808G

Description:	MOUSE ANTI HUMAN THYROGLOBULIN		
Specificity:	THYROGLOBULIN		
Other names:	Тд		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	56.2D4		
Isotype:	lgG1		
Quantity:	1 mg		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry					
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin			•		
	ELISA				1/5000 - 1/50000	
	Immunoprecipitation			•		
	Western Blotting					
	Where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are g a guide only. It is recommended that the user titrates the product for use in their of system using appropriate negative/positive controls.				•	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )					

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
External Database Links	UniProt: <u>P01266</u> <u>Related reagents</u> Entrez Gene:
	7038 TG Related reagents
Specificity	<b>Mouse anti Human Tg, Clone 56.2D4,</b> recognises human thyroglobulin, composed of two ~330 kDa polypeptide chains, produced by thyrocytes in the thyroid gland and stored within the follicular lumen. Thyroglobulin is the precursor of the iodated thyroid hormones thyroxine (T4) and triiodothyronine (T3). These hormones affect protein, fat and carbohydrate metabolism. Defects in thyroglobulin production can lead to goiter, and increased susceptibility to autoimmune thyroid type 3 diseases, such as Graves disease and Hashimoto thyroiditis.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR77)	HRP
Rabbit Anti Mouse IgG (STAR12)	RPE
Rabbit Anti Mouse IgG (STAR8)	DyLight®800
Rabbit Anti Mouse IgG (STAR13)	HRP
Goat Anti Mouse IgG (STAR76)	RPE
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®680,
	DyLight®800, FITC, HRP

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M335033:181203'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint