

Datasheet: MCA5921 BATCH NUMBER 159763

Description:	MOUSE ANTI HUMAN SOMATOSTATIN RECEPTOR 3			
Specificity:	SOMATOSTATIN RECEPTOR 3			
Format:	Purified			
Product Type:	Monoclonal Antibody			
Clone:	sstr3			
Isotype:	lgG2a			
Quantity:	0.2 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry			•				
	Immunohistology - Frozen							
	Immunohistology - Paraffin	•						
	ELISA			•				
	Immunoprecipitation			•				
	Western Blotting		•					
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Product Form	Purified IgG - liquid							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)							
Carrier Free	Yes							
Approx. Protein Concentrations	IgG concentration 1mg/m	nl						

Immunogen	Synthetic peptide, sequence CTQPTSGQERPPSRVAS.			
External Database Links	UniProt: <u>P32745</u> <u>Related reagents</u> Entrez Gene: <u>6753</u> SSTR3 <u>Related reagents</u>			
Specificity	Mouse anti Human Somatostatin Receptor 3 antibody, clone sstr3 recognizes hum somatostatin receptor 3. Somatostatin (SST) is a peptide hormone with wide ranging inhibitory effects on hormone secretion and cell proliferation. It is produced as a large preproSST precursor molecule that is cleaved to yield one of two active forms of the peptide: a 14 amino acid peptide (SST-14), or a 28 amino acid peptide (SST-28). The inhibitory effects of SST on hormone release and cell growth have made them candidat for the treatment of cancer and neuroendocrine disorders. Natural SSTs have very shor half-lives, which led to the development of more stable synthetic derivatives, such as octreotide and lanreotide, both in common clinical use.			
	The effects of SST are mediated via five distinct SST receptors (SSTRs). The receptors have similar affinities for natural SST-14 and SST-28, but there are marked differences in affinities towards the synthetic analogues. Somatostatin receptors are expressed by various tissues, notably neuronal, endocrine, gastrointestinal and immune cells, as well as certain tumours, with tumours often expressing more than one subtype in different combinations. Mouse anti Human Somatostatin Receptor 3 antibody, clone sstr3 does not recognize any of the other SSTR subtypes. Bio-Rad also has antibodies to SSTR subtypes 1, 4 and 5			
Histology Positive Control Tissue	(<u>MCA5924</u> , <u>MCA5922</u> , <u>MCA5923</u>) available. Human breast cancer			
References	1. Schmid, H.A. <i>et al.</i> (2012) Monoclonal antibodies against the human somatostatin receptor subtypes 1-5: development and immunohistochemical application in neuroendocrine tumors. <u>Neuroendocrinology. 95 (3): 232-47.</u>			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA5921			

	10040				
Regulato	ry For research	n purpose			
Relate	d Products				
Recomn	nended Secondary Ant	ibodies			
Rabbit Aı	nti Mouse IgG (STAR12)	RF	<u>PE</u>		
Goat Ant	Mouse IgG IgA IgM (STA	R87) <u>H</u>	<u>RP</u>		
Goat Ant	Mouse IgG (STAR76)	R	<u>PE</u>		
Rabbit A	nti Mouse IgG (STAR13)	HF	<u>RP</u>		
Goat Ant	Mouse IgG (STAR70)	<u>FI</u>	<u>TC</u>		
Goat Ant	Mouse IgG (H/L) (STAR1	D	<u>k. Phos., DyLight®488,</u> /Light®650, DyLight®68 TC, <u>HRP</u>		<u>0,</u>
Rabbit Ar	nti Mouse IgG (STAR9)	<u>FI</u>	<u>TC</u>		
Goat Ant	Mouse IgG (STAR77)	HF	<u>RP</u>		
Goat Ant	Mouse IgG (Fc) (STAR12	20) <u>Fl</u>	<u>TC, HRP</u>		
orth & South merica	Tel: +1 800 265 7376 M Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.c	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bi	Europe o-rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
To find a b	atch/lot specific datasheet fo	r this produ	uct, please use our online 'M381776:210512'	search tool at: b	io-rad-antibodies.com/datasheets

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint