

Datasheet: MCA5934F BATCH NUMBER 157300

Description:	RAT ANTI MOUSE JAM-C:FITC		
Specificity:	JAM-C		
Other names:	JAM-3		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	CRAM-19 H36		
Isotype:	lgG2a		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10
Immunofluorescence	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse					
Species Cross	Reacts with: Hum	nan				
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publication personal communications from the originators. Please refer to references indication further information.					
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	FITC	490	525			
Preparation	Purified IgG prep supernatant	ared by affinity chromatog	raphy on Protein G from tissue cu	ılture		

Buffer Solution	Phosphate buffered saline			
Preservative	0.09% Sodium Azide (NaN ₃)			
Stabilisers	1% Bovine Serum Albumin			
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml			
Immunogen	Recombinant soluble JAM-C.			
External Database	Ha:Daste			
Links	UniProt:			
	Q9D8B7 Related reagents			
	Q9BX67 Related reagents			
	Entrez Gene:			
	83964 Jam3 Related reagents			
	83700 JAM3 Related reagents			
Fusion Partners	Spleen cells from immunised Fischer rats were fused with cells of the Sp2/0 myeloma cell line.			
Specificity	Rat anti Mouse JAM-C, clone CRAM-19 H36 recognizes mouse and human Junctional adhesion molecule C (JAM-C), also known as JAM-3 and, historically, as JAM-2.			
	JAM-C is expressed at junctions between endothelial and epithelial cells, as well as on leukocytes, platelets, vascular smooth muscle cells and fibroblasts, amongst other cell types. It plays a role in tight junctions and inflammatory processes and interacts with JAM-A and JAM-B.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.			
References	 Aurrand-lions, M. <i>et al.</i> (2001) JAM-2, a novel immunoglobulin superfamily molecule, expressed by endothelial and lymphatic cells. <u>J Biol Chem. 276 (4): 2733-41.</u> Johnson-léger, C.A. <i>et al.</i> (2002) Junctional adhesion molecule-2 (JAM-2) promotes lymphocyte transendothelial migration. <u>Blood. 100 (7): 2479-86.</u> Morita, Y. <i>et al.</i> (2010) Heterogeneity and hierarchy within the most primitive hematopoietic stem cell compartment. <u>J Exp Med. 207 (6): 1173-82.</u> 			
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			

Health And Safety

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA5934F

10041

Regulatory

Information

For research purposes only

Related Products

Recommended Negative Controls

RAT IgG2a NEGATIVE CONTROL:FITC (MCA1212F)

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751 America

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368491:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint