

## Datasheet: MCA5951PB

<b>Description:</b>	MOUSE ANTI PIG CD3:Pacific Blue®
<b>Specificity:</b>	CD3 EPSILON
<b>Format:</b>	Pacific Blue®
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	PPT3
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS/1ml

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Pig		
<b>Species Cross Reactivity</b>	Does not react with:Bovine, Goat, Horse, Human, Sheep		
<b>Product Form</b>	Purified IgG conjugated to Pacific Blue - liquid		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	Pacific Blue®	410	455
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
<b>Buffer Solution</b>	Phosphate buffered saline		
<b>Preservative</b>	0.09% Sodium Azide (NaN <sub>3</sub> )		
<b>Stabilisers</b>	1% Bovine Serum Albumin		
<b>Approx. Protein</b>	IgG concentration 0.05 mg/ml		

## Concentrations

---

**Immunogen** Porcine PBMCs

---

## External Database Links

### UniProt:

[Q7YRN2](#) [Related reagents](#)

### Entrez Gene:

[397455](#) CD3E [Related reagents](#)

---

**Fusion Partners** Lymph node cells from immunised BALB/c mice were fused with cells of the NS0 myeloma cell line

---

## Specificity

**Mouse anti Pig CD3, clone PPT3** recognizes the porcine homologue of human CD3 $\epsilon$ , a 24 kDa single pass type I membrane protein expressed by T-lymphocytes. Clone PPT3, also known under the clone designation FY1H2, was clustered at the second international swine CD workshop and found to specifically recognise an epitope on the porcine CD3 $\epsilon$  designated as CD3c ([Pescovitz, M.D., et al. 1998](#)).

CD3 is a multimeric protein complex composed of four distinct polypeptide chains ( $\epsilon$ ,  $\gamma$ ,  $\delta$ ,  $\zeta$ ) that assemble and function as three pairs of dimers ( $\epsilon\gamma$ ,  $\epsilon\delta$ ,  $\zeta\zeta$ ). The CD3 complex serves as a T cell co-receptor that associates non-covalently with the T cell receptor (TCR) ([Guy, C.S & Vignali, D.G. 2009](#)). CD3 is a defining feature of cells belonging to the T cell lineage, antibodies recognising pig CD3 therefore provide useful markers of porcine T cells.

Clone PPT3 has been demonstrated to recognise an epitope that is expressed both intracellularly and extracellularly, additionally clone PPT3 has been demonstrated to activate  $\alpha/\beta$  T-cells ([Kirkham P.A., et al. 1996](#)).

Clone PPT3 was tested on PBL from a range of other mammalian species and found to be negative suggesting that the epitope recognised by this clone is specific to porcine ([Yang, H. et al. 1996](#)).

---

## References

1. Yang, H. *et al.* (1996) Preparation of monoclonal anti-porcine CD3 antibodies and preliminary characterization of porcine T lymphocytes. [Immunology. 88 \(4\): 577-85.](#)
  2. Kirkham, P.A. *et al.* (1996) Porcine CD3 epsilon: its characterization, expression and involvement in activation of porcine T lymphocytes. [Immunology. 87 \(4\): 616-23.](#)
  3. Pescovitz, M.D. *et al.* (1998) Analyses of monoclonal antibodies reacting with porcine CD3: results from the Second International Swine CD Workshop. [Vet Immunol Immunopathol. 60: 261-8.](#)
  4. Forberg H *et al.* (2014) Early responses of natural killer cells in pigs experimentally infected with 2009 pandemic H1N1 influenza A virus. [PLoS One. 9 \(6\): e100619.](#)
  5. Uehlein, S. *et al.* (2021) Human-like Response of Pig T Cells to Superagonistic Anti-CD28 Monoclonal Antibodies. [J Immunol. Oct 08 \[Epub ahead of print\].](#)
- 

## Further Reading

1. Guy, C.S. & Vignali, D.A. (2009) Organization of proximal signal initiation at the

TCR:CD3 complex. [Immunol Rev. 32: 7-21.](#)

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Acknowledgements** This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or [outlicensing@thermofisher.com](mailto:outlicensing@thermofisher.com)

---

**Health And Safety Information** Material Safety Datasheet documentation #10041 available at: 10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Pacific Blue® \(MCA928PB\)](#)

### Recommended Useful Reagents

[MOUSE ANTI PIG CD4 ALPHA:RPE \(MCA1749PE\)](#)

[MOUSE ANTI PIG wCD8 ALPHA:RPE \(MCA1223PE\)](#)

[MOUSE ANTI PIG CD25 \(MCA1736GA\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M387824:210726'

Printed on 08 Nov 2021

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)