

## Datasheet: MCA5951SBV570

Description:	MOUSE ANTI PIG CD3:StarBright Violet 570
Specificity:	CD3 EPSILON
Format:	StarBright Violet 570
Product Type:	Monoclonal Antibody
Clone:	PPT3
lsotype:	lgG1
Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
	Flow Cytometry	Yes	No	Not Determined	Suggested Dilution Neat		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Pig						
Species Cross Reactivity	Does not react with:B	ovine, Goat, H	orse, Hu	man, Sheep			
Product Form	Purified IgG conjugated to StarBright Violet 570 - liquid						
Max Ex/Em	Fluorophore	Excitation Ma	ıx (nm)	Emission Max (nm)			
	StarBright Violet 570	404		571			
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant						
Buffer Solution	Phosphate buffered sa	aline					
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Alb 0.1% Pluronic F68 0.1% PEG 3350						

	0.05% Tween 20
Immunogen	Porcine PBMCs
External Database Links	UniProt: <u>Q7YRN2</u> <u>Related reagents</u> Entrez Gene: <u>397455</u> CD3E <u>Related reagents</u>
Fusion Partners	Lymph node cells from immunized BALB/c mice were fused with cells of the NS0 myeloma cell line
Specificity	<b>Mouse anti Pig CD3, clone PPT3</b> recognizes the porcine homologue of human CD3ε, a 24 kDa single pass type I membrane protein expressed by T-lymphocytes. Clone PPT3, also known under the clone designation FY1H2, was clustered at the second international swine CD workshop and found to specifically recognise an epitope on the porcine CD3ε designated as CD3c (Pescovitz, M.D., <i>et al.</i> 1998).
	CD3 is a multimeric protein complex composed of four distinct polypeptide chains ( $\epsilon$ , $\gamma$ , $\delta$ , $\zeta$ ) that assemble and function as three pairs of dimers ( $\epsilon\gamma$ , $\epsilon\delta$ , $\zeta\zeta$ ). The CD3 complex serves as a T cell co-receptor that associates non-covalently with the T cell receptor (TCR) (Guy, C.S & Vignali, D.G. 2009). CD3 is a defining feature of cells belonging to the T cell lineage, antibodies recognising pig CD3 therefore provide useful markers of porcine T cells.
	Clone PPT3 has been demonstrated to recognise an epitope that is expressed both intracellularly and extracellularly, additionally clone PPT3 has been demonstrated to activate $\alpha/\beta$ T-cells (Kirkham P.A., <i>et al.</i> 1996).
	Clone PPT3 was tested on PBL from a range of other mammalian species and found to be negative suggesting that the epitope recognised by this clone is specific to porcine ( <u>Yang, H. <i>et al.</i> 1996</u> ).
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	<ol> <li>Kirkham, P.A. <i>et al.</i> (1996) Porcine CD3 epsilon: its characterization, expression and involvement in activation of porcine T lymphocytes. <u>Immunology. 87 (4): 616-23.</u></li> <li>Uehlein, S. <i>et al.</i> (2021) Human-like Response of Pig T Cells to Superagonistic Anti-CD28 Monoclonal Antibodies. <u>J Immunol. 207 (10): 2473-88.</u></li> <li>Zhao, H. <i>et al.</i> (2022) Development of <i>RAG2 <sup>-/-</sup> IL2Ry <sup>-/Y</sup></i> immune deficient FAH-knockout miniature pig. <u>Front Immunol. 13: 950194.</u></li> <li>Maciag, S.S. <i>et al.</i> (2022) On the influence of the source of porcine colostrum in the development of early immune ontogeny in piglets. <u>Sci Rep. 12 (1): 15630.</u></li> <li>dos Santos, M.C. <i>et al.</i> (2023) Effect of yeast extracted β-glucans on the immune response and reproductive performance of gilts in the adaptation, gestation, and lactation</li> </ol>

To find a b			product, please use our online 'M426146:231121'	search tool at: bi	o-rad-antibodies.com/datashee		
orth & South merica	Tel: +1 800 265 73 Fax: +1 919 878 3 Email: antibody_sa		vide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bi	Europe o-rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com		
Regulato	ry	For research pur	poses only				
Information <u>https</u>			Datasheet documentation #2 ad-antibodies.com/SDS/MC/	at:			
•		This product is c counterparts	overed by U.S. Patent No. 1	elated U.S. and foreign			
Guarante	e	12 months from date of despatch					
Storage			O NOT FREEZE. uld be stored undiluted.				
Further R	Reading	1. Guy, C.S. & V TCR:CD3 compl	signal initiation at the				
and humoral immunity in pigs. Vir				alent virosomal influenza vaccine induces broad cellula ol J. 20 (1): 181. ariant in porcine TNFRSF1A gene and its effects on TN			

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint