

Datasheet: MCA5953A647

Description:	MOUSE ANTI BOVINE CD21:Alexa Fluor® 647
Specificity:	CD21
Other names:	CR2
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	CC51
Isotype:	IgG2b
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Bovine

Species Cross Reactivity

Reacts with: Pig, African Buffalo

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to Alexa Fluor 647 - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
Alexa Fluor®647	650	665

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml
Immunogen	Bovine (Friesian cattle) mesenteric lymph node cells.
External Database Links	UniProt: Q8HY44 Related reagents
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NSI myeloma cell line
Specificity	<p>Mouse anti Bovine CD21 monoclonal antibody, clone CC51 recognizes the bovine homologue of the human CD21 cell surface antigen, a 145 kDa single pass type I membrane glycoprotein containing multiple sushi domains. CD21 is also known as complement receptor type 2 (CR2). In cattle CD21 expression is restricted to B-cells (Naessens et al. 1990). CD21 may be expressed on B-cells as either a long or a short form (Pringle et al. 2012).</p> <p>Mouse anti Bovine CD21, clone CC51 demonstrates cross reactivity with porcine and provides a reliable marker for porcine B-Cells (Sinkora et. al. 2013). In addition to clone CC51, clone CC21 (MCA1424GA) which has been demonstrated to recognise CD21 in a range of ruminant and other species is also available from Bio-Rad.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> Denham S. <i>et al.</i> (1994) Monoclonal antibodies recognising differentiation antigens on porcine B cells. Vet Immunol Immunopathol. 43: 259-67. Boersma W.J. <i>et al.</i> (2001) Summary of workshop findings for porcine B-cell markers. Vet Immunol Immunopathol. 80: 63-78. Tenaya I.W. <i>et al.</i> (2012) Flow cytometric analysis of lymphocyte subset kinetics in Bali cattle experimentally infected with Jembrana disease virus. Vet Immunol Immunopathol. 149: 167-76. Sinkora, M <i>et al.</i> (2013) Different anti-CD21 antibodies can be used to discriminate developmentally and functionally different subsets of B lymphocytes in circulation of pigs. Dev Comp Immunol. 39: 409-18. Sinkora, M. <i>et al.</i> (2014) The comparative profile of lymphoid cells and the T and B cell spectratype of germ-free piglets infected with viruses SIV, PRRSV or PCV2. Vet Res. 45: 91. Liu, J. <i>et al.</i> (2020) <i>Theileria annulata</i>. transformation altered cell surface molecules expression and endocytic function of monocyte-derived dendritic cells. Ticks Tick Borne Dis. 11 (3): 101365. Li, J. <i>et al.</i> (2023) Single-cell transcriptomic analysis reveals transcriptional and cell subpopulation differences between human and pig immune cells. Genes Genomics. Nov 18 [Epub ahead of print].

8. Seemann, L. *et al.* (2024) Dietary L-carnitine supplementation modifies blood parameters of mid-lactating dairy cows during standardized lipopolysaccharide-induced inflammation. [Front Immunol. 15: 1390137.](#)
9. Yuan, C. *et al.* (2024) Effects of porcine epidemic diarrhea virus infection on CD21(+) B cells activation. [Vet Microbiol. 293: 110087.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA5953A647>
10041

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA691A647\)](#)

Recommended Useful Reagents

[MOUSE ANTI PIG CD3:RPE \(MCA5951PE\)](#)

[MOUSE ANTI PIG CD3 \(MCA5951GA\)](#)

[MOUSE ANTI PIG SLA CLASS II DR \(MCA2314GA\)](#)

[RAT ANTI HUMAN CD3:Pacific Blue® \(MCA1477PB\)](#)

[MOUSE ANTI BOVINE CD4:RPE \(MCA1653PE\)](#)

[MOUSE ANTI HUMAN CD14:Pacific Blue® \(MCA1568PB\)](#)

[MOUSE ANTI HUMAN CD14:RPE \(MCA1568PE\)](#)

[MOUSE ANTI BOVINE CD25:RPE \(MCA2430PE\)](#)

[MOUSE ANTI BOVINE MHC CLASS II DR:RPE \(MCA5656PE\)](#)

[MOUSE ANTI PIG CD4 ALPHA:RPE \(MCA1749PE\)](#)

[MOUSE ANTI PIG CD25 \(MCA1736GA\)](#)

[MOUSE ANTI PIG wCD8 ALPHA:RPE \(MCA1223PE\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M384054:210513'

Printed on 31 May 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)