

Datasheet: MCA5953GA BATCH NUMBER 0614

Description:	MOUSE ANTI BOVINE CD21
Specificity:	CD21
Other names:	CR2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CC51
lsotype:	lgG2b
Quantity:	0.1 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		X	NI .		
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	•			1/25 - 1/200
	Immunohistology - Frozen				
	Immunohistology - Paraffin			•	
	ELISA				
	Immunoprecipitation			-	
	Western Blotting			•	
	Where this product has r	not been t	ested for	use in a particular tech	nique this does not
	necessarily exclude its u	se in such	n procedu	res. Suggested workin	g dilutions are given as
	a guide only. It is recomm		•		
	system using appropriate			•	
Target Species	Bovine				
Species Cross	Reacts with: Pig, African	Buffalo			
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG - liquid				
Preparation	Purified IgG prepared by	affinity cl	nromatog	raphy on Protein A fror	n tissue culture

	supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Bovine (Friesian cattle) mesenteric lymph node cells
External Database Links	UniProt: <u>Q8HY44</u> <u>Related reagents</u>
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NSI myeloma cell line
Specificity	Mouse anti Bovine CD21 monoclonal antibody, clone CC51 recognizes the bovine homologue of the human CD21 cell surface antigen, a 145 kDa single pass type I membrane glycoprotein containing multiple <u>sushi</u> domains. CD21 is also known as complement receptor type 2 (CR2). In cattle CD21 expression is restricted to B-cells (Naessens <i>et al.</i> 1990). CD21 may be expressed on B-cells as either a long or a short form (Pringle <i>et al.</i> 2012). Mouse anti Bovine CD21, clone CC51 demonstrates cross reactivity with porcine and provides a reliable marker for porcine B-Cells (Sinkora <i>et. al.</i> 2013). In addition to clone CC51, clone CC21 (MCA1424GA) which has been demonstrated to recognise CD21 in a range of ruminant and other species is also available from Bio-Rad.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	 Sinkora, M. <i>et al.</i> (2014) The comparative profile of lymphoid cells and the T and B cell spectratype of germ-free piglets infected with viruses SIV, PRRSV or PCV2. <u>Vet Res. 45:</u> 91. Sinkora, M <i>et al.</i> (2013) Different anti-CD21 antibodies can be used to discriminate developmentally and functionally different subsets of B lymphocytes in circulation of pigs. <u>Dev Comp Immunol. 39: 409-18.</u> Tenaya I.W. <i>et al.</i> (2012) Flow cytometric analysis of lymphocyte subset kinetics in Balic cattle experimentally infected with Jembrana disease virus. <u>Vet Immunol Immunopathol.</u> 149: 167-76. Denham S. <i>et al.</i> (1994) Monoclonal antibodies recognising differentiation antigens on porcine B cells. <u>Vet Immunol Immunopathol. 43: 259-67.</u> Boersma W.J. <i>et al.</i> (2001) Summary of workshop findings for porcine B-cell markers. <u>Vet Immunol Immunopathol. 80: 63-78.</u> Naessens, J. <i>et al.</i> (1990) Characterization of a bovine leucocyte differentiation antiger

	of 145,000 MW restricted to B lymphocytes. Immunology. 69 (4): 525-30.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA5953GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR117...) DyLight®405, DyLight®488, DyLight®800,

FITC

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

Recommended Useful Reagents

MOUSE ANTI PIG CD14:FITC (MCA1218F) MOUSE ANTI PIG CD4 ALPHA (MCA1749GA) RAT ANTI HUMAN CD3:Pacific Blue® (MCA1477PB) MOUSE ANTI BOVINE CD25:RPE (MCA2430PE) MOUSE ANTI PIG CD3:RPE (MCA5951PE) MOUSE ANTI PIG SLA CLASS II DR:FITC (MCA2314F) MOUSE ANTI PIG wCD8 ALPHA:RPE (MCA1223PE) MOUSE ANTI BOVINE MHC CLASS II DR:RPE (MCA5656PE)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368515:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint