



Datasheet: MCA5953PE

BATCH NUMBER INN1707

| | |
|----------------------|----------------------------|
| Description: | MOUSE ANTI BOVINE CD21:RPE |
| Specificity: | CD21 |
| Other names: | CR2 |
| Format: | RPE |
| Product Type: | Monoclonal Antibody |
| Clone: | CC51 |
| Isotype: | IgG2b |
| Quantity: | 100 TESTS |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Bovine

Species Cross Reactivity

Reacts with: Pig, African Buffalo

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1.0 ml distilled water

Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.

Max Ex/Em

| Fluorophore | Excitation Max (nm) | Emission Max (nm) |
|-----------------|---------------------|-------------------|
| RPE 488nm laser | 496 | 578 |

| | |
|-------------------------------------|--|
| Preparation | Purified IgG prepared by affinity chromatography on Protein A |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 5% Sucrose |
| Immunogen | Bovine (Friesian cattle) mesenteric lymph node cells |
| External Database Links | UniProt: Q8HY44 Related reagents |
| Fusion Partners | Spleen cells from immunised BALB/c mice were fused with cells of the mouse NSI myeloma cell line |
| Specificity | <p>Mouse anti Bovine CD21 monoclonal antibody, clone CC51 recognizes the bovine homologue of the human CD21 cell surface antigen, a 145 kDa single pass type I membrane glycoprotein containing multiple sushi domains. CD21 is also known as complement receptor type 2 (CR2). In cattle CD21 expression is restricted to B-cells (Naessens <i>et al.</i> 1990). CD21 may be expressed on B-cells as either a long or a short form (Pringle <i>et al.</i> 2012).</p> <p>Mouse anti Bovine CD21, clone CC51 demonstrates cross reactivity with porcine and provides a reliable marker for porcine B-Cells (Sinkora <i>et. al.</i> 2013). In addition to clone CC51, clone CC21 (MCA1424GA) which has been demonstrated to recognise CD21 in a range of ruminant and other species is also available from Bio-Rad.</p> |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul |
| References | <ol style="list-style-type: none"> 1. Sinkora, M. <i>et al.</i> (2014) The comparative profile of lymphoid cells and the T and B cell spectratype of germ-free piglets infected with viruses SIV, PRRSV or PCV2. Vet Res. 45: 91. 2. Sinkora, M <i>et al.</i> (2013) Different anti-CD21 antibodies can be used to discriminate developmentally and functionally different subsets of B lymphocytes in circulation of pigs. Dev Comp Immunol. 39: 409-18. 3. Tenaya I.W. <i>et al.</i> (2012) Flow cytometric analysis of lymphocyte subset kinetics in Bali cattle experimentally infected with Jembrana disease virus. Vet Immunol Immunopathol. 149: 167-76. 4. Denham S. <i>et al.</i> (1994) Monoclonal antibodies recognising differentiation antigens on porcine B cells. Vet Immunol Immunopathol. 43: 259-67. 5. Boersma W.J. <i>et al.</i> (2001) Summary of workshop findings for porcine B-cell markers. Vet Immunol Immunopathol. 80: 63-78. 6. Naessens, J. <i>et al.</i> (1990) Characterization of a bovine leucocyte differentiation antigen of 145,000 MW restricted to B lymphocytes. Immunology. 69 (4): 525-30. |
| Storage | Store at +4°C. DO NOT FREEZE. |

This product should be stored undiluted. This product is photosensitive and should be protected from light.

| | |
|------------------|---------------------------------------|
| Guarantee | 12 months from date of reconstitution |
|------------------|---------------------------------------|

| | |
|--------------------------------------|--|
| Health And Safety Information | Material Safety Datasheet documentation #10075 available at: https://www.bio-rad-antibodies.com/SDS/MCA5953PE 10075 |
|--------------------------------------|--|

| | |
|-------------------|----------------------------|
| Regulatory | For research purposes only |
|-------------------|----------------------------|

Related Products

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL:RPE \(MCA691PE\)](#)

| | | | | | |
|----------------------------------|---|------------------|---|---------------|---|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|---|------------------|---|---------------|---|

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M300738:170106'

Printed on 18 Jan 2024