

Datasheet: MCA5954F

BATCH NUMBER 1807

Description:	MOUSE ANTI PIG CD8 BETA CHAIN:FITC
Specificity:	CD8 BETA
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	PPT23
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10
Immunofluorescence			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig		
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml		

Immunogen	Porcine thymus membrane lysate
Fusion Partners	Lymph node cells from immunized BALB/c mice were fused with cells of the NSO myeloma cell line
Specificity	<p>Mouse anti Pig CD8 beta chain, clone PPT23, recognizes the porcine homologue of the human CD8 beta chain cell surface antigen.</p> <p>Characterization of clone PPT23, also known under the clone designation FYP1C5, has demonstrated that on peripheral blood lymphocytes and spleen, this antibody binds to cells that are CD3⁺, CD4⁻, CD8^{hi} and as such defines this antibody as a specific marker of porcine α/β T cells. Characterization of clone PPT23 has shown that in thymic tissue both CD8^{lo} and CD8^{hi} cells are recognized (Yang H & Parkhouse R.M. 1997). Inhibition studies have demonstrated that clone PPT23 recognizes a different epitope of on the CD8 beta chain to clone PPT22.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> 1. Yang, H. & Parkhouse, R.M. (1997) Differential expression of CD8 epitopes amongst porcine CD8-positive functional lymphocyte subsets. Immunology. 92 (1): 45-52. 2. Mair, K.H. <i>et al.</i> (2015) Carbopol improves the early cellular immune responses induced by the modified-live vaccine Ingelvac PRRS[®] MLV. Vet Microbiol. 176 (3-4): 352-7. 3. Sinkora, M. <i>et al.</i> (2007) Two groups of porcine TCRgammadelta+ thymocytes behave and diverge differently. J Immunol. 178 (2): 711-9.
Further Reading	1. Zuckermann, F.A. <i>et al.</i> (1998) Report on the analyses of mAb reactive with porcine CD8 for the second international swine CD workshop. Vet Immunol Immunopathol. 60 (3-4): 291-303.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA5954F 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

Recommended Useful Reagents

[MOUSE ANTI PIG CD3:RPE \(MCA5951PE\)](#)

[MOUSE ANTI PIG CD4 ALPHA:RPE \(MCA1749PE\)](#)

[MOUSE ANTI PIG CD4 ALPHA \(MCA1749GA\)](#)

[MOUSE ANTI PIG CD3 \(MCA5951GA\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M368517:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)